arXiv:1403.4970v1 [astro-ph.SR] 19 Mar 2014

Speckle interferometry at SOAR in 2012 and 2013[†]

Andrei Tokovinin
Cerro Tololo Inter-American Observatory, Casilla 603, La Serena, Chile
atokovinin@ctio.noao.edu

Brian D. Mason & William I. Hartkopf
U.S. Naval Observatory, 3450 Massachusetts Ave., Washington, DC, USA
bdm@usno.navy.mil, wih@usno.navy.mil

ABSTRACT

We report the results of speckle runs at the 4.1-m Southern Astronomical Research (SOAR) telescope in 2012 and 2013. A total of 586 objects were observed. We give 699 measurements of 487 resolved binaries and upper detection limits for 112 unresolved stars. Eleven pairs (including one triple) were resolved for the first time. Orbital elements have been determined for the first time for 13 pairs; orbits of another 45 binaries are revised or updated.

Subject headings: stars: binaries

1. Introduction

Knowledge of binary-star orbits is of fundamental value to many areas of astronomy. They provide direct measurements of stellar masses and distances, inform us on the processes of star formation through statistics of orbital elements, and allow dynamical studies of multiple stellar systems, circumstellar matter, and planets. A large fraction of visual binaries are late-type stars within 100 pc, amenable to searches for exo-planets. However, the current orbit catalog contains some poor or wrong orbital solutions based on insufficient data. To improve the situation, we provide here new observations, revise some orbits, and compute new ones.

This paper continues the series of speckle interferometry observations published by Tokovinin, Mason & Hartkopf (2010, hereafter TMH10), Tokovinin et al. (2010), Hartkopf et al. (2012), and Tokovinin (2012). We used the same equipment and data reduction methods. All observations were obtained with the 4.1-m SOAR telescope located at Cerro Pachón in Chile. Our program is focused on close binaries with fast orbital motion, where the frequency of measurements (rather than the time span) is critical for orbit determination. Some of those binaries were discovered by visual observers, but most are recent discoveries made by the *Hipparcos* mission and by speckle interferometry, including our work at SOAR. Spectroscopic orbits are available for several fast nearby binaries resolved here. In addition, we measured close binaries with known orbits to verify and improve them when necessary, and wider pairs for calibration and quality control.

Data on binary-star measures and orbits are collected in the Washington Double Star Catalog, WDS (Mason et al. 2001)[1] and associated archives such as the *4th Catalog of Interferometric Measurements of Binary Stars*, INT4 (Hartkopf, McAlister & Mason 2001)[2] and the

[†]Based on observations obtained at the Southern Astrophysical Research (SOAR) telescope, which is a joint project of the Ministério da Ciência, Tecnologia, e Inovação (MCTI) da República Federativa do Brasil, the U.S. National Optical Astronomy Observatory (NOAO), the University of North Carolina at Chapel Hill (UNC), and Michigan State University (MSU).

[1]See current version at http://ad.usno.navy.mil/wds/

[2]http://ad.usno.navy.mil/wds/int4.html

6th Orbit Catalog of Orbits of Visual Binary Stars, VB6 (Hartkopf, Mason & Worley 2001).[3] These resources are extensively used here.

Section 2 recalls the observing technique and presents new measures, discoveries, and non-resolutions. New and updated orbits of 13 and 45 systems are given in Section 3 and Section 4, respectively.

2. New speckle measures

2.1. Instrument and observing method

The observations reported here were obtained with the *high-resolution camera* (HRCam) – a fast imager designed to work at the 4.1-m SOAR telescope (Tokovinin & Cantarutti 2008). For practical reasons, the camera was mounted on the SOAR Adaptive Module (SAM, Tokovinin et al. 2008). However, the laser guide star of SAM was not used; the deformable mirror of SAM was passively flattened and the images are seeing-limited. The SAM module corrects for the atmospheric dispersion and helps to calibrate the pixel scale and orientation of HRCam, as explained below. The transmission curves of HRCam filters are given in the instrument manual[4]. We used mostly the Strömgren y filter (543/22 nm) and the near-infrared I (774 nm) filter.

Observation of an object consists of accumulation of 400 frames of 200x200 pixels each with exposure time of 20 ms or shorter. Frames of 400x400 pixels were recorded for pairs with separation larger than $1\farcs5$. Each object was normally recorded twice and these two image cubes were processed independently. Parameters of resolved binary and triple systems are determined by fitting a model to the power spectrum, as explained in TMH10.

2.2. Calibration of scale and orientation

The star light reaches HRCam after reflections from two non-rigid mirrors – the thin active primary mirror of SOAR and the deformable mirror of SAM. Both can affect the plate scale. We calibrated the transfer optics of the SAM instrument by imaging a single-mode fiber located at the telescope focus (mounted on the SAM guide probe). The fiber was translated by a micrometer stage, allowing us to accurately determine the detector orientation relative to the instrument frame and the pixel size in microns projected from the detector to the SOAR focal plane. The pixel size at focus is 5.01 μm, stable throughout the runs to better than 0.5%. Considering this stability, we adopted a fixed pixel scale of 15.23 mas/pixel as in the previous papers of this series.

The same internal calibration was applied to the CCD imager, SAMI, which is part of the SAM Instrument. It has 4096×4112 pixels and covers a $3'$ square field. Thus, both HRCam and SAMI are inter-calibrated. Selected sky images taken with SAMI during the same runs were corrected for the optical distortion in SAM and calibrated against known positions of stars using the *autoastrometry* tool[5] and the 2MASS catalog. The pixel scale of SAMI and its orientation were thus determined and then translated to the orientation of HRCam. We noticed that the orientation of SAM was stable during each run to $0\fdg1$, but changed between the runs, although the instrument was not dismounted from the SOAR Nasmyth rotator. Therefore, the angle of the SOAR rotator was not very stable. Moreover, it should depend on the telescope orientation if the telescope pointing model is not perfect. With this caveat in mind, we estimate the accuracy of the angle calibration to be about $0\fdg5$.

Table 1 lists the observing runs, the angular offsets θ_0 determined for each run, and the number of objects covered. In February and September 2013, we used the telescope time allocated for this program. The time allocation in June 2013 was lost to clouds almost entirely. The remaining data were collected during commissioning runs of the SAM instrument, as a backup program. On three of those occasions, we used only few available hours, but a whole night was spent in December 2012.

2.3. Impact of telescope vibrations

Previous work with HRCam, SAM, and other SOAR instruments established that the telescope vibrates with the power-line frequency of 50 Hz and the rms amplitude reaching 40 mas in the worst cases. The optical axis moves on an elliptical

[3] `http://ad.usno.navy.mil/wds/orb6.html`

[4] http://www.ctio.noao.edu/new/Telescopes/SOAR/Instruments/SAM/archive/hrcaminst.pdf

[5] See `http://www.astro.caltech.edu/~{}dperley/programs/auto\discretionary{-`

Table 1
Observing runs

Dates	θ_0	$N_{\rm obj}$
Oct 29-30, 2012	2.10	19
Dec 1-2, 2012	0.08	144
Jan 28-29, 2013	1.50	11
Feb 15-16, 2013	−1.00	268
Mar 27, 2013	−0.21	41
Jun 22, 2013	−0.21	38
Sep 25-27, 2013	−0.66	174



Fig. 1.— Auto-correlation functions of the binary star HU 304 with separation of 0.″288, computed from image cubes #328 (exposure 5 ms, left) and #329 (exposure 20 ms, right). The black dot marks the companion.

path with variable elongation and amplitude; the amplitude increases with the zenith distance. The vibrations are not stationary. Attempts to locate their source (e.g. compressors of the closed-cycle coolers) have, so far, not produced definitive results.

During the standard exposure time of 20 ms, one full vibration period is sampled, the speckles are blurred, and the resolution and sensitivity are seriously degraded. Using a shorter exposure time of 5 ms helps to recover the signal, at the cost of reduced flux. Figure 1 illustrates the effect of shortening the exposure time by two observations of the same binary star obtained sequentially under the same conditions. The elliptical motion of the SOAR's optical axis produces characteristic "disks" which sometimes blur the speckle completely.

We used the exposure time of 5 ms and went as short as 2 ms when possible. Fainter stars were observed with the longer exposure of 20 ms, and in this case the success depended on the presence and amplitude of the vibrations. The February 2013 run was particularly affected, while in September 2013 the vibrations were less intense.

The faintest resolved binary is HIP 48273B = RAO 90 (WDS J09505+0421) at $V = 12.1$. It was observed in the I filter with 20-ms exposure time; the signal is affected by vibrations. The next faintest pair is KUI 41 (WDS J09310−1329) at $V = 10.7$, observed again in I, but with a 5-ms exposure. With a normal 20-ms exposure, stars 1.5^m fainter could be recorded. The 2×2 binning of the detector helps to increase the sensitivity for faint stars while under-sampling the speckle, but it was not used here.

2.4. Data tables

Table 2 lists 699 measures of 487 resolved binary stars and sub-systems, including newly resolved pairs. The format did not change from the previous papers. The columns of Table 2 contain (1) the WDS designation, (2) the "discoverer designation" as adopted in the WDS, (3) an alternative name, mostly from the *Hipparcos* catalog, (4) Besselian epoch of observation, (5) filter, (6) number of individual data cubes, (7,8) position angle θ in degrees and internal measurement error in tangential direction $\rho\sigma_\theta$ in mas, (9,10) separation ρ in arcseconds and its internal error σ_ρ in mas, and (11) magnitude difference Δm. An asterisk follows if Δm and the true quadrant are determined from the resolved long-exposure image; a colon indicates that the data are noisy and Δm is likely over-estimated (see TMH10 for details). Note that in the cases of multiple stars, the positions and photometry refer to the pairings between individual stars, not with photo-centers of sub-systems.

For stars with known orbital elements, columns (12–14) of Table 2 list the residuals to the

ephemeris position and the references to the orbits.

We did not use image reconstruction and measure the position angles modulo 180°. Plausible quadrants are assigned on the basis of orbits or prior observations, but they can be changed if required by orbit calculation. For triple stars, however, *both* quadrants of inner and outer binaries have to be changed simultaneously; usually the slowly-moving outer pair defines the quandant of the inner sub-system without ambiguity.

Our software does not have capability of fitting models of power spectra with more than three components. Sub-systems in the resolved quadruple stars RST 244Ba,Bb (WDS J07185−5721) and MLO 3Ba,Bb (WDS J13147−6335) were measured crudely using the peaks in the autocorrelation functions.

Table 3 contains the data on 112 unresolved stars, some of which are listed as binaries in the WDS or resolved here in other filters. Columns (1) through (6) are the same as in Table 2, although Column (2) also includes other names for objects without discoverer designations. Columns (7,8) give the 5σ detection limits Δm_5 at $0\farcs15$ and $1''$ separations determined by the procedure described in TMH10. When two or more data cubes are processed, the best detection limits are listed.

2.5. New pairs

For the reader's convenience, we extracted data on the binaries resolved here for the first time into Table 4. There are 11 objects, some of which are newly resolved visual triples. As in the previous runs, we tried to observe nearby solar-type dwarfs that are known to be binary by their variable radial velocity (RV), mostly from the work by Nordström et al. (2004), or by astrometric acceleration (Makarov & Kaplan 2005). This continues the work on resolving astrometric binaries that was done at SOAR and at Gemini (Tokovinin et al. 2012, 2013). Comments on individual stars follow.

02321−1515 = HIP 11783 is an F5V dwarf at 27 pc. It has variable RV and astrometric acceleration. The companion was resolved only in the I band. The star is bright, $V = 4.74^m$; it was observed through clouds when no other program objects could be accessed. There is also a common proper motion companion B = HIP 11579 of spectral type K2.5V located at $345''$ and $252\fdg5$ from A (Tokovinin & Lépine 2012), making the whole system triple. The proper motions of A and B differ slightly, possibly because of the inner system Aa,Ab with an estimated period of ∼10 yr.

04007+2023 = HIP 18719 is a spectroscopic binary in the Hyades with period 16.7 yr, estimated semi-major axis of $0\farcs12$ (Griffin 2012), and astrometric acceleration. The secondary lines were detected by Bender & Simon (2008), who evaluated the mass of the secondary component at $0.4\mathcal{M}_\odot$. The object was tentatively resolved with Robo-AO (Riddle et al. 2014) in 2012.757 at 342°, $0\farcs142$ and $\Delta i = 2.8$. The resolution here is secure, at smaller separation and a very different position angle of 96° (or 276°) with $\Delta I = 3.6$.

07435+0329 = HIP 37645 has a variable RV. According to D. Latham (private communication), it is a single-lined binary with a period on the order of 35 yr. Such a period corresponds to a semi-major axis of $0\farcs27$, of the same order as the measured separation. This is a triple system with physical companion B at $9\farcs6$ (AB is STF 1134, discovered in 1832). The more distant companion C listed in the WDS is optical, as evidenced by the motion of AC since 1906. Although the system AC is designated as STF 1134AC, it was actually first measured in 1906 by Burnham (1913).

08391−5557 = HIP 42424 is the known binary HU 1443, measured here at $0\farcs917$ separation. Its secondary component turns out to be a new pair Ba,Bb with $0\farcs07$ separation. This example shows the power of speckle interferometry at a 4-m telescope. The outer pair AB was observed with speckle interferomety by E. Horch et al. (2006) at smaller telescopes that are sufficient for its resolution, but the close sub-system escaped detection until now.

09086−2550 = HIP 44874 is similar to the previous object: the known pair RST 2610 at $1\farcs78$ hosts the new close $0\farcs12$ binary Ba,Bb. The A component is itself a close pair with variable RV and astrometric acceleration. It was already observed at SOAR and found unresolved (also unresolved here). The orbital period and mass ratio of the sub-system Aa,Ab thus remain indeterminate so far. In contrast, the new sub-system Ba,Bb has an estimated period of ∼15 yr and component masses of 0.6 and 0.5 $\mathcal{M}_\odot$ estimated from their

luminosity. The whole system is therefore a 2+2 quadruple.

09383+0150 = TOK 358 was also resolved with Robo-AO (Riddle et al. 2014) in 2013.0526 at 345°.1, 0″.447 and $\Delta i = 2.34$.

11192−1950 = RV Crt = HD 98412 is an eclipsing binary of β Lyr type, spectral type F8. The existence of the tertiary companion was suggested from the eclipse timing by T. Armond (private communication). The object was observed on her request and resolved into a 0″.05 pair of nearly equal stars.

11420−1701 = HIP 57078 unexpectedly turned out to be a triple star. This is an F5V dwarf with astrometric acceleration (Makarov & Kaplan 2005), presumably produced by the newly resolved 0″.14 pair Aa,Ab with an estimated period of ∼20 yr. In addition, we see a distant companion B at 1″.11. The physical nature of B is yet to be confirmed by repeated measurement within a year, but is likely, considering the low density of background stars around this target.

12509−5743 = HIP 62699 is another nearby dwarf with astrometric acceleration and variable RV resolved here at 0″.19. The estimated period is ∼ 25 yr.



Fig. 2.— Auto-correlation functions of the resolved triple system VOU 35 observed on three epochs at SOAR. North is up, East to the left, the scale is approximate.

21368−3043 = VOU 35 AB = HIP 106701 is a G5V dwarf with *Hipparcos* parallax of 16.1 mas. The projected separation of AB indicates a probable orbital period of about 20 yr (see the orbit with $P = 19.8$ yr in Table 6, Figure 14). We detect another faint component C at 0″.45 and 53°.5 from A. Re-examination of archival speckle data show that the component C was not seen on 2008.54 (it was fainter than the detection limit), but was present on 2008.7669 at approximately 62°.9 and 0″.475 (in the y filter). However, the next observation on 2012.923 with good signal-to-noise ratio shows no trace of the C component, while it is securely detected now (Figure 2).

The multiple system HIP 106701 has been detected in X-rays (see also Torres et al. 2006). The disappearance of C in 2012.92 could be caused by its variability (e.g. eclipses). The projected separation of AC is ∼30 AU and implies a period on the order of 100 yr. The observed motion of AC (10° in 5 yr) does not contradict this estimate. If C were some unrelated background star, the proper motion of A (0″.11 per yr) would have drastically changed the configuration of AC in 5 yrs.

Interestingly, there is another star in the 2MASS catalog at 234°.0, 11″.2 from A. Its infrared magnitudes match a dwarf of $\sim 0.65\,\mathcal{M}_\odot$ at the same distance. This additional component D is visible at similar relative position in the saturated DSS image. Considering also low crowding, we tentatively conclude that the pair AD is physical and that the whole system is at least quadruple. For completeness, we list the AD pair in Table 4.

2.6. Comments on individual objects of interest

Potentially spurious binaries. A binary system can become too close and unresolvable when it goes through periastron. It is expected to re-appear after a few years if the estimated orbital period is short. Repeated observations of several promising candidates at SOAR failed to resolve them, however, despite much improved resolution and dynamic range of speckle interferometry in comparison with the visual observations used to discover these binaries. Table 5 lists several such cases, adding to the list of mysterious "ghosts" in Tokovinin (2012). It gives the year of last measurement according to the WDS, the period of speckle non-resolution, and the number $N_{\rm UR}$ of negative speckle observations. The orbit with 21-yr period computed for B 594 by Norro (1983) predicts its separation between 0″.07 and 0″.12 during the period of non-resolutions at SOAR.

Reversed quadrant of the orbit is evidenced in some resolved triple systems where the orientation of the inner (fast) pair is determined by the outer (slow) binary. In these cases, reversal of the observed quadrant (allowed in classical speckle) is not possible; instead, the orbital

node must be changed by 180°. Such triples here are FIN 337BC (WDS J01198−0030), FIN 308AB (WDS J10282−2548), and RBT 1Aa,Ab (WDS J14038−6022).

02426−7947 = HIP 12654 is the acceleration binary TOK 362 resolved with NICI (Tokovinin et al. 2013). The new measure confirms the hypothesis that the pair opens up. Note that the secondary component is red: $\Delta V = 4.2$, $\Delta I = 2.6$, while $\Delta K = 0.61$. The secondary could itself be a close pair of M-dwarfs. The large ΔV and presumably close separation in 1991 help to understand why this pair was not resolved by *Hipparcos*.

04311−4522 = HIP 21079 is the acceleration binary TOK 208 resolved in Tokovinin et al. (2012). The wide separation implies a long estimated orbital period of ∼600 yr, making it difficult to explain the acceleration, unless the system is triple.

06454−3148 = HIP 32366. We discovered independently the close pair Ba,Bb, converting this nearby solar-type dwarf into a triple system. In fact, this system was resolved earlier by Ehrenreich et al. (2010). They even suggested a preliminary circular orbit of Ba,Bb with a period of 3.5 yr, based on several measurements. The small astrometric acceleration of A could be caused by its attraction to component B.

06573−4929 = RST 5253 AC. The wide companion C was discovered at SOAR on 2010.97 at 1.″05, 236.°9; the quadrant published in Hartkopf et al. (2012) was chosen wrongly. It is measured here at 1.″06 and 238.°6. The quadrant is now confirmed from the direct image and matches the orbit of the inner pair AB.

09383+0150 = HIP 47292 is an acceleration binary, also resolved in 2013.05 with Robo-AO (Riddle et al. 2014).

14038−6022 = VOU 31 and RBT 1 Aa,Ab is the spectacular triple system β Cep.

3. First orbits

In this Section, we derive first orbits for some binaries or sub-systems observed here. This continues the work of Hartkopf et al. (2012) on cleaning and improving the VB6 catalog. We refer to that paper where the method of orbit calculation is described. The orbital elements of 13 pairs are listed in Table 6. As a consistency check, the mass sum resulting from the new orbits and the *Hipparcos* parallax is given. We discuss briefly some of these objects in the remainder of this Section. Figures 3–15 show the new orbits. In each of those figures, speckle and other high-resolution measures are plotted as filled circles, the measures from this work as filled stars, micrometric observations as plus signs, and the *Hipparcos* observations as filled diamonds. A line connects each measure to its predicted position on the orbital ellipse. The dot-dashed line passing through the primary indicates orbital nodes, the grey circle shows diffraction limit of the 4.1-m telescope, with the scale in arcseconds shown on both axes. The orientation and the direction of motion are indicated in the lower right corner of each figure.

02022−2402 = TOK 41 Ba,Bb is the secondary sub-system with nearly equal components in the triple star HIP 9497. The 138-yr orbit of the outer pair AB=HDS 272 (Hartkopf & Mason 2011) is still preliminary and corresponds to a mass sum of 11.4 $\mathcal{M}_\odot$. The 14-yr orbit of Ba,Bb is not yet fully covered and also preliminary. Further speckle monitoring will lead to the reliable orbits that will allow dynamical analysis of this interesting triple system with weak hierarchy, i.e. a small ratio of outer and inner periods.



Fig. 3.— Orbit of TOK 41 Ba,Bb.

02572−2458 = BEU 4 Ca,Cb is a spectroscopic pair belonging to the quadruple system ADS 2442, known also as GJ 120.1. The components AB are HD 18455 = HIP 13772 = BU 741 (also measured here), the component C is HD 18445 = HIP 13769, K2V. It was announced as a spectroscopic binary by Duquennoy & Mayor in 1991. Some elements of its spectroscopic orbit were published by Halbwachs et al. (2000); they mention orbit publication in a "forthcoming paper" which has not yet appeared. The low velocity amplitude hinted at a secondary component of planetary or brown-dwarf mass. However, the system was resolved by Beuzit et al. (2004) in 2000.6. The large mass of Cb was also established by Reffert & Quirrenbach (2011) from the *Hipparcos* astrometry. We see now that the orbit is oriented almost face-on, explaining the low RV amplitude (which is further reduced by line blending). In orbit fitting, we fixed some elements known from the spectroscopy and the poorly-constrained inclination.



Fig. 4.— Orbit of BEU 4 Ca,Cb.

05072−1924 = FIN 376 = HIP 23818 = HD 33095 is a double-lined spectroscopic binary with a period of 3.9 yr according to D. Latham (private communication). The short period explains why no visual orbit has been computed so far, as the orbital coverage was insufficient. The orbit in Table 6 is derived by combining radial velocities of the two components kindly made available to us by D. Latham with the speckle and visual measurements, which explains the small errors. We do not publish here the spectroscopic elements and the resulting masses, deferring this analysis to a future paper.



Fig. 5.— Orbit of A 1937



Fig. 6.— Orbit of B 1935

07478−0332 = RST 4375 = HIP 38039. The speckle measures from the 1990s appear to be



Fig. 7.— Orbit of FIN 376.

located on a straight line, rather than on an ellipse (Figure 8). The orbit is still very preliminary. The mass sum of 6.5 $\mathcal{M}_\odot$ seems a bit too large for the spectral type A0. Considering the large deviation of the *Hipparcos* measurement from the speckle data, we might suspect inaccurcy of its parallax.



Fig. 8.— Orbit of RST 4375

09191−4128 = CHR 239 = HIP 45705. This first orbit appears quite reliable already and gives a reasonable mass sum (spectral type G2V). This is also an acceleration binary in *Hipparcos*.



Fig. 9.— Orbit of CHR 239

11514+1148 = HDS 1672 = HIP 57821. The 54-yr orbit is not yet fully covered and remains preliminary. The mass sum matches spectral type F6V. It became possible to compute the orbit owing to the observations at SOAR and by Horch et al. (2002, 2008).

11525−1408 = HDS 1676 = HIP 57894. This binary has completed more than one revolution since its first resolution by *Hipparcos*. The coverage remains poor, however (exclusively at SOAR). The mass sum matches spectral type G0V.

12485−1543 = WSI 74 Aa,Ab = HIP 62505 = HD 111312 is a K2.5V star GJ 1165 within 25 pc of the Sun. Raghavan et al. (2010) state that it is a double-lined spectroscopic binary with a period of 2.698 yr, but do not give its orbital elements. Radial velocities of both components kindly provided by D. Latham were included in the combined orbital solution. We publish here only the "visual" elements and defer further analysis to another paper, as in the case of FIN 376.

17066+0039 = TOK 52 Ba,Bb = HIP 83716 was discovered at SOAR in 2009 (cf. TMH10), its



Fig. 10.— Orbit of HDS 1672



Fig. 12.— Orbit of WSI 74 Aa,Ab.



Fig. 11.— Orbit of HDS 1676



Fig. 13.— Orbit of TOK 52 Ba,Bb

first orbit is computed here with almost a full revolution covered. The outer pair BU 823AB also has a computed orbit with a period of 532 yr, which may be nearly co-planar with that of Ba,Bb. The mass sum of Ba,Bb estimated from its luminosity is $1.5\,\mathcal{M}_{\odot}$ and matches well the dynamical mass inferred from the orbit.

4. Revised orbits

Some pairs show substantial deviations from the published orbits, prompting their revisions. In several instances those revisions are only minor, as the orbit was already well constrained by the existing data. These revisions simply reduce errors of the elements or correct systematics such as scale



Fig. 14.— Orbit of VOU 35AB.



Fig. 15.— Orbit of DON 1042.

of the orbit, see e.g. Figure 16.

The orbits of many long-period binaries are not yet fully covered by the observations; decades or even centuries of additional data are needed to do so. Here, the revision just improves the description of the orbital motion observed so far, while the period and semi-major axis remain essentially unconstrained, as illustrated in Figure 17. These should provide reliable ephemerides over the next several decades.

Substantial or drastic revisions of existing orbits are not uncommon. This happens when orbits were computed prematurely with insufficient or inaccurate observations. In such cases, the revised orbit had to be calculated from scratch. Hopefully, these new orbits are closer to the true ones and will be corrected incrementally in the future. The mass sum computed from the new orbits and known parallaxes is not substantially different from its estimate based on spectral type or luminosity of the stars. See Figure 18.

Table 7 lists elements of 45 orbits revised here. For orbits of grades 1–3, the errors of each element are given, while the still preliminary orbits of grades 4 and 5 are given without formal errors. The last column of Table 7 contains references to the previous orbital solutions. Considering the availability of orbital plots in the VB6 on-line catalog, we do not provide them here, except three illustrative cases in Figures 16–18.

The 25-yr astrometric sub-system belonging to the A-component of the bright visual binary ζ Aqr (WDS J22288−0001) was first resolved at SOAR and is listed in the WDS as EBE 1. Its orbit is still very preliminary, with period and eccentricity fixed. This mutiple system was recently discussed by Hartkopf et al. (2012).

We thank the operators of SOAR D. Maturana, S. Pizarro, P. Ugarte, A. Pastén for their help with labor-intensive speckle observations, and the anonymous referee for careful reading of the manuscript and tables. This work used the SIMBAD service operated by Centre des Données Stellaires (Strasbourg, France), bibliographic references from the Astrophysics Data System maintained by SAO/NASA, and the Washington Double Star Catalog maintained at USNO.

Facilities: SOAR.

REFERENCES

Alzner, A., Argyle, R. & Anton, R. 2009, Inf. Circ., 169

Argyle, R. W. & Alzner, A. 2010, Inf. Circ., 170

Balega, I. I., Balega, Yu. Yu., Hofmann, K.-H. et al. 1999, SvAL, 25, 797



Fig. 16.— Minor revision of the orbit of A 519 (WDS J07043−0303), illustrating the change of scale in comparison with the previous orbit by Docobo & Ling (2009) (dashed line).



Fig. 17.— Orbit of STT 517 AB, $P = 992$ yr. The actual period can be much longer (few thousand years), it is not yet constrained by the observed arc.

Balega, I. I., Balega, Y. Y., Hofmann, K.-H. et al. 2005, A&A, 433, 591



Fig. 18.— Orbit of RST 4800, $P = 174$ yr. New observations at SOAR cause drastic revision of the previous orbit by Seymour et al. (2002). The new orbit is still lacking coverage and will be further corrected in the coming decades.

Baize, P. 1986, A&AS, 65, 551

Bender, C. F. & Simon, M. 2008, ApJ, 689, 416

Beuzit, J.-L., Segransan, D., Forveille, T. et al. 2004, A&A, 425, 997

van den Bos, W. H. 1961, Union Obs. Johannesburg Circ., 120, 380

Burnham, S.W. 1913, Carnegie Inst. Wash., 168

Cvetkovic, Z., Novakovic, B. & Todorovic, N. 2008, New Astronomy, 13, 125

Cvetkovic, Z. 2008, AJ, 136, 1746

Cvetkovic, Z. & Ninkovic, S. 2010, AN, 331, 304

Cvetkovic, Z. 2011, AJ, 141, 116

Cvetkovic, Z. 2012, Inf. Circ., 177

Davis, J., Mendez, A., Seneta, E. et al. 2005, MNRAS, 356, 1362

DeRosa, R. J., Patience, J., Vigan, A. et al. 2012, MNRAS, 422, 2765

Docobo, J., Ling, J. & Prieto, C. 19994, ApJS, 91, 793

Docobo, J. A. & Tamazian, V. S. 2007, Inf. Circ., 162

Docobo, J. A. & Ling, J. F. 2008, Inf. Circ., 164

Docobo, J. A. & Ling, J. F. 2009, AJ, 138, 1159

Docobo, J. A. & Ling, J. F. 2010, Inf. Circ., 172

Docobo, J. A. & Ling, J. F. 2011, Inf. Circ., 174

Docobo, J. A. & Campo, P. 2011, Inf. Circ., 174

Docobo, J. A. & Campo, P. 2012, Inf. Circ., 176

Docobo, J. A. & Andrade, M. 2013, Inf. Circ., 179

Dommanget, J. 1979, Bull. R. Astron. Obs. Belgium, 9, 116

Ehrenreich, D., Lagrange, A.-M., Montagnier, G. et al. 2010, A&A, 523, 73

Erceg, V. 1985, Bull. Obs. Astron. Belgrade, 135, 45

Finsen, W. S. 1964, Republic Obs. Circ., 123, 59

Forveille, T., Beuzit, J.-L., Delfosse, X. et al. 1999, A&A, 351, 619

Griffin, R. F. 2012, JAA, 33, 29

Halbwachs, J.-L., Arenou, F., Mayor, M. et al. 2000, A&A, 305, 581

Hartkopf, W. I., Mason, B. D. & McAlister, H. A. 1996, AJ, 111, 370

Hartkopf, W. I., McAlister, H. A. & Mason, B .D. 2001, AJ 122, 3480

Hartkopf, W. I., Mason, B. D., McAlister, H. A. et al. 2000, AJ, 119, 3084

Hartkopf, W. I. 2000, Inf. Circ., 141

Hartkopf, W. I. & Mason, B. D. 2000, Inf. Circ., 142

Hartkopf, W. I., Mason, B. D. & Worley, C. E. 2001, AJ, 122, 3472 (VB6)

Hartkopf, W. I. & Mason, B. D. 2001a, Inf. Circ., 143

Hartkopf, W. I. & Mason, B. D. 2001b, Inf. Circ., 145

Hartkopf, W. I. & Mason, B. D. 2010, Inf. Circ., 170

Hartkopf, W. I. & Mason, B. D. 2011, Inf. Circ., 175

Hartkopf, W. I., Tokovinin, A. & Mason, B. D. 2012, AJ, 143, 42

Hartkopf, W. I. & Harshaw, R. 2013a, Inf. Circ., 179

Hartkopf, W. I. & Harshaw, R. 2013b, Inf. Circ. , 181

Heintz, W. D. 1978a, ApJS, 37, 71

Heintz, W. D. 1978b, ApJS, 37, 515

Heintz, W. D. 1981, ApJS, 45, 559

Heintz, W. D. 1984, A&AS, 56, 5

Heintz, W. D. 1986a, A&AS, 64, 1

Heintz, W. D. 1986b, A&AS, 65, 411

Heintz, W. D. 1988, A&AS, 72, 543

Heintz, W. D. 1990, A&AS, 82, 65

Heintz, W. D. 1991, A&AS, 90, 311

Heintz, W. D. 1993, A&AS, 98, 209

Heintz, W. D. 1995, A&AS, 99, 693

Heintz, W. D. 1996, AJ 111, 412

Heintz, W. D. 1997, ApJS, 111, 335

Heintz, W. D. & Borgman, E. R. 1984, AJ, 89, 1068

Heintz, W. D. 1984, ApJ, 284, 806

Horch, E. P., Robinson, S. E., Meyer, R. D. et al. 2002, AJ, 123, 3442

Horch, E. P. Davidson, J. W., Jr., van Altena, W. F. et al 2006, AJ, 131, 1000

Horch, E. P., van Altena, W. F., Cyr, W. M., Jr. et al. 2008, AJ, 136, 312

Jasinta, D. M. D. 1997, Visual Double Stars, ed. Docobo et al., 367

Ling, J. F. 2010, AJ, 139, 1521

Makarov, V. V. & Kaplan, G. H., 2005, AJ, 129, 2420 (MK05)

Mante, R. 2001, Inf. Circ., 145

Mante, R. 2003, Inf. Circ., 150

Mason, B. D. & Hartkopf, W. I. 1999, Inf. Circ., 138

Mason, B. D. & Hartkopf, W. I. 2001, Inf. Circ., 144

Mason, B. D., Wycoff, G. L., Hartkopf, W. I. et al. 2001, AJ, 122, 3466 (WDS)

Mason, B. D., Hartkopf, W. I., Wycoff, G. L. et al. 2004, AJ, 127, 539

Mason, B. D., Hartkopf, W. I., Wycoff, G. L. & Holdenried, E. R. 2006, AJ, 132, 2219

Mason, B. D. & Hartkopf, W. I. 2005, Inf. Circ., 156

Mason, B. D., Hartkopf, W. I., Gies, D. R. et al. 2009, AJ, 137, 3358

Mason, B. D. & Hartkopf, W. I. 2010, Inf. Circ., 170

Mason, B. D., Hartkopf, W. I. & Tokovinin, A. 2010, AJ, 140, 735

Mason, B. D. & Hartkopf, W. I. 2011a, Inf. Circ., 173

Mason, B. D. 2011, Inf. Circ., 173

Mason, B. D. & Hartkopf, W. I. 2011b, Inf. Circ., 174

Mason, B. D. & Hartkopf, W. I. 2012, Inf. Circ., 178

Muller, P. 1955, J. Obs., 38, 17

Muterspaugh, M. W., Hartkopf, W. I., Lane. B. F. et al. 2010, AJ, 140, 1623

Nordström, B., Mayor, M., Andersen, J. et al. 2004, A&A, 418, 989

Norro, A. 1983, Bull. R. Astron. Obs. Belgium 9, 262

Olevic, D. & Jovanovic, P. 2001, Serbian AJ, 163, 5

Olevic, D. & Cvetkovic, Z. 2004a, Inf. Circ., 152

Olevic, D. & Cvetkovic, Z. 2004b, A&A, 415, 259

Olevic, D. & Cvetkovic, Z. 2005, RevMexA&A, 41, 17

Popovic, G. M. 1969, Bull. Obs. Astron. Belgrade, 27, 1, 33

Popovic, G. M. 1978, Bull. Obs. Astron. Belgrade, 129, 9

Raghavan, D., McAlister, H. A., Henry, T. J. et al. 2010, ApJS, 190, 1

Reffert, S. & Quirrenbach, A. 2011, A&A, 527, 140

Riddle, R., Tokovinin, A., Mason, B. et al., 2014, ApJ, in preparation.

Rica Romero, F. M. 2010, Inf. Circ., 171

Rica Romero, F. M. & Zirm, H. 2011, Inf. Circ., 174

Rica, F. M. 2012, JDSO, 8, 127

Rica Romero, F. M. 2012, Inf. Circ., 171

Rica Romero, F. M. 2013, Inf. Circ., 181

Scardia, M. 1983, Inf. Circ., 90

Scardia, M., Prieur, J.-L., Aristidi, E. & Koechlin, L. 2000, AN, 321, 255

Scardia, M. 2001, Inf. Circ., 144

Scardia, M., Argyle, R. W., Prieur, J.-L. et al. 2007, AN, 328, 146

Scardia, M., Prieur, J.-L., Pansecchi, L. & Argyle, R. W. 2008, Inf. Circ., 165

Scardia, M., Prieur, J.-L., Pansecchi, L. & Argyle, R. W. 2010, Inf. Circ., 170

Seymour, D. & Hartkopf, W. 1999, Inf. Circ., 139

Seymour, D., Mason, B. D., Hartkopf, W. I. & Wycoff, G. L. 2002, AJ, 123, 1023

Söderhjelm, S. 1999, A&A, 341, 121

Starikova, G. A. 1981, SvAL, 7, 130

Tokovinin, A. A. 1999, SvAL, 25, 669

Tokovinin, A. A., Kiyaeva, O., Sterzik, M. et al. 2005, A&A, 441, 695

Tokovinin A., Tighe R., Schurter P. et al. 2008, Proc. SPIE, 7015, 157

Tokovinin, A. & Cantarutti, R. 2008, PASP, 120, 170

Tokovinin, A. 2012, AJ, 144, 56

Tokovinin, A. 2013, AJ, 145, 76

Tokovinin, A., Mason, B. D., & Hartkopf, W. I. 2010, AJ, 139, 743 (TMH10)

Tokovinin, A. Cantarutti, R., Tighe, R. et al. 2010, PASP, 122, 1483

Tokovinin, A., Hartung, M., Hayward, Th. L., & Makarov, V. V. 2012, AJ, 144, 7

Tokovinin, A. & Lépine, S. 2012, AJ, 144, 102

Tokovinin, A., Hartung, M., & Hayward, Th. L., 2013, AJ, 146, 8

Torres, C. A. O., Quast, G. R., Da Silva, L. et al. 2006, A&A, 460, 695

Turner, N. H., ten Brummelaar, T. A., Roberts, L. C. et al. 2008, AJ, 136, 554

Wilson, R. H. 1976, MNRAS, 174, 75P

Zirm, H. 2007, Inf. Circ., 161

Zirm, H. 2008, Inf. Circ., 166

Zirm, H. 2010a, Inf. Circ., 170

Zirm, H. 2010b, Inf. Circ., 172

Zirm, H. 2013, Inf. Circ., 179

This 2-column preprint was prepared with the AAS LaTeX macros v5.2.

TABLE 2

MEASUREMENTS OF BINARY STARS AT SOAR

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
00143−2732	HDS 33	HIP 1144	12.9231	y	2	218.4	0.2	0.0671	0.3	1.2	−78.9	−0.001	(Cvetkovic 2012)
00417−2446	B 10	HD 2930	12.9231	y	2	164.5	0.8	0.0739	0.3	1.1			
00487+1841	BU 495AB	HIP 3795	13.7366	I	2	245.4	0.3	0.3454	0.3	0.6	1.7	−0.023	(Scardia et al. 2000)
00522−2237	STN 3AB	HIP 4072	12.9231	y	2	242.7	0.3	1.9858	0.2	0.9 *			
01061−4643	SLR 1AB	HIP 5165	13.7368	y	2	93.2	0.0	0.5093	0.1	0.5	0.8	−0.012	(Alzner et al. 2009)
01071−0036	HDS 144AB	HIP 5245	13.7367	I	2	150.6	0.8	0.2893	2.4	2.2	0.2	0.000	Table 7
01071−0036	BAG 12AC	HIP 5245	13.7367	I	2	154.4	0.1	1.3642	5.6	4.7			
01144−0755	WSI 70Aa,Ab	HIP 5799	12.9232	y	2	137.2	0.2	0.0219	2.3	1.3			
01187−2630	SEE 11AB	HIP 6136	12.9231	y	2	300.3	0.1	1.4709	0.1	0.4 *			
			12.9231	I	1	300.0	0.0	1.4720	0.0	0.6			
01187−2630	TOK 182Ba,Bb	HIP 6136	12.9231	I	1	231.4	0.0	0.3841	0.0	4.0			
01198−0031	STF 113AB	HIP 6226	13.7367	y	2	21.5	4.7	1.6648	13.6	2.1			
01198−0031	FIN 337BC	HIP 6226	13.7367	y	2	254.4	2.1	0.1308	11.0	0.9	179.9	0.014	(Mason et al. 2010)
01205−1957	TOK 203	HIP 6273	12.9232	I	3	113.5	3.5	0.2522	0.7	3.9			
01262−6751	DON 17	HIP 6703	12.9204	y	2	289.2	0.3	1.3115	1.5	1.2 *	0.5	−0.013	(Hartkopf & Mason 2010)
			12.9204	I	1	289.2	0.1	1.3154	0.1	1.2 *	0.5	−0.009	
01263−0440	TOK 204	HIP 6712	12.9232	y	2	38.1	0.2	0.0998	0.3	1.8			
01277+0521	BU 1164AB	HIP 6815	12.9232	y	2	176.7	0.2	0.1743	0.4	1.0	−1.8	0.013	(Docobo & Ling 2010)
01308−5940	TOK 183	HIP 7040	12.9204	y	3	9.3	0.2	0.0329	0.5	0.6			
			13.7368	I	2	154.4	0.7	0.0406	0.6	0.8 :			
			13.7368	y	2	159.7	0.2	0.0360	0.1	0.7 :			
01316−5322	I 264AB	HIP 7111	12.9204	y	2	29.1	0.1	0.8100	0.1	0.4 *	−0.7	−0.070	(Seymour et al. 2002)
			12.9204	I	2	29.1	0.5	0.8101	0.1	0.5 *	−0.7	−0.070	
01334−4354	HDS 205	HIP 7254	12.9205	y	2	73.7	0.1	0.0746	0.4	1.5			
01417−1119	STF 147	HIP 7916	12.9232	y	2	253.3	0.0	0.1362	0.0	1.1	−0.9	0.001	(Rica Romero 2013)
			13.7367	y	2	260.0	0.3	0.1805	0.1	1.2			
01496−4646	TOK 184	HIP 8498	12.9205	I	2	285.3	3.1	0.2955	0.9	3.6			
			13.7368	I	2	289.0	2.6	0.3128	0.9	3.8			
02022−2402	HDS 272AB	HIP 9497	12.9205	y	2	327.1	0.1	0.5477	0.5	4.7	−3.1	−0.042	(Hartkopf & Mason 2011)
			12.9205	I	2	327.2	1.2	0.5452	2.0	3.6	−3.0	−0.044	
			12.9233	I	2	327.3	3.2	0.5476	1.7	3.6	−2.9	−0.042	
			12.9233	V	1	327.1	0.0	0.5493	0.0	5.3	−3.0	−0.040	
			13.7478	I	1	334.4	0.0	0.5155	0.0	3.7	6.0	−0.082	
02022−2402	TOK 41Ba,Bb	HIP 9497	12.9205	y	2	91.0	0.8	0.1071	1.5	0.3	0.1	0.006	Table 6
			12.9205	I	2	92.8	1.0	0.1025	1.2	0.1	1.9	0.001	
			12.9233	I	2	93.9	0.1	0.0998	1.9	0.0	3.0	−0.002	
			12.9233	V	1	92.0	0.0	0.0944	0.0	0.0 :	1.1	−0.007	
			13.7478	I	1	72.2	0.0	0.0999	0.0	0.2	−1.8	−0.008	
02038−0020	TOK 38Aa,Ab	HIP 9631	12.9205	y	2	272.5	0.6	0.0493	0.4	1.6			
			13.7367	y	3	285.3	1.7	0.0396	0.4	1.1			
02039−4525	RST2272	HIP 9642	12.9205	y	2	237.8	2.6	1.4639	2.6	4.7 *	0.9	0.010	(Hartkopf & Mason 2011)
			12.9205	I	2	237.8	1.2	1.4624	1.3	4.9 *	0.8	0.008	
02057−2423	WSI 71Aa,Ab	HIP 9774	12.9205	I	2	291.2	3.7	0.0477	0.6	0.1			
			12.9205	y	2	291.0	8.2	0.0394	2.5	0.0			
			12.9233	y	2	291.6	0.5	0.0543	2.7	0.4			
			12.9233	V	1	288.5	0.0	0.0557	0.0	0.3			
02057−2423	I 454AB	HIP 9774	12.9205	I	2	157.8	1.7	0.7316	0.7	1.4	2.1	−0.001	(Hartkopf et al. 2012)
			12.9205	y	2	157.3	7.5	0.7347	0.5	2.4	1.6	0.002	
			12.9233	y	2	157.3	4.6	0.7350	2.1	2.6	1.7	0.003	
			12.9233	V	1	157.3	0.0	0.7365	0.0	3.0	1.6	0.004	
02087−1005	HU 16	HD 13181	13.7367	I	2	32.3	0.2	0.9104	0.4	1.7 *	−14.7	0.218	(Seymour et al. 2002)
02128−0224	TOK 39Aa,Ab	HIP 10305	13.7367	y	2	118.6	1.1	0.0256	0.2	0.9 :			
02166−5026	TOK 185	HIP 10611	12.9205	I	2	261.5	1.1	0.0743	0.7	1.6			
			12.9205	V	1	265.9	2.7	0.0907	2.7	4.4			
			13.7368	I	2	283.6	1.2	0.0704	7.1	1.4			
02225−2349	LAF 27	HIP 11072	12.8300	I	7	343.0	1.4	0.3452	2.6	3.7	−0.1	0.001	(Tokovinin 2013)
			12.8300	y	3	343.1	2.0	0.3450	2.5	5.0	0.0	0.000	
			12.9233	I	2	345.7	1.7	0.3418	2.2	3.9	0.8	0.005	
			13.7477	I	2	6.6	2.2	0.2738	2.3	4.0	0.9	0.006	
02321−1515	TOK 382Aa,Ab	HIP 11783	13.7478	I	4	341.8	3.1	0.2101	1.8	4.0			
02332−5156	HDS 333	HIP 11877	13.7368	I	2	247.3	0.2	0.6068	0.4	1.7			
02374−5233	TOK 186Aa,Ab	HIP 12225	12.9205	y	2	224.8	0.2	0.0836	0.4	1.5			
			13.7368	y	2	111.4	0.0	0.0348	0.2	0.9 :			
02396−1152	FIN 312	HIP 12390	13.7478	y	2	318.2	0.3	0.1236	0.6	1.6	0.1	0.000	(Docobo & Andrade 2013)

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
02415−7128	B 1923	HIP 12548	12.9232	y	2	326.0	0.3	0.1476	0.5	1.2	1.8	0.001	(Hartkopf et al. 2012)
			13.7366	y	2	310.3	0.2	0.1445	0.2	1.5	1.5	−0.001	
02426−7947	TOK 362	HIP 12654	13.7366	I	2	122.4	0.8	0.6270	0.8	2.6			
			13.7366	V	2	122.6	2.7	0.6200	7.6	4.2			
02434−3756	TOK 187	HIP 12716	12.9232	y	2	345.5	9.8	0.3055	5.8	5.2			
			12.9232	I	2	347.3	3.3	0.3104	0.7	3.5			
02434−6643	FIN 333	HIP 12717	13.7366	y	2	215.1	0.2	0.4777	0.5	0.7	0.4	0.003	(Mason & Hartkopf 2011a)
02442−2530	FIN 379Aa,Ab	HIP 12780	13.7477	y	2	223.0	0.1	0.1101	0.2	0.9	2.4	−0.001	(Hartkopf et al. 2012)
02456−7114	HDS 357	HIP 12884	12.9232	y	2	51.2	0.8	0.3331	1.3	4.0	0.7	−0.003	(Hartkopf & Mason 2011)
			12.9232	I	1	51.3	0.6	0.3364	0.6	3.5	0.8	0.000	
			13.7366	y	2	47.9	1.1	0.3400	0.7	3.9	1.2	−0.001	
02460−0457	BU 83	HIP 12912	12.9205	I	2	14.2	0.3	0.9714	0.4	1.8 *	1.5	−0.003	
02493−1033	STF 315	HIP 13168	12.9205	y	2	165.1	0.2	1.3277	0.2	1.1 *			
02572−2458	BU 741AB	HIP 13772	13.7478	y	3	345.6	0.2	0.7539	0.2	1.0	0.5	0.029	(Rica 2012)
02572−2458	BEU 4Ca,Cb	HIP 13769	13.7477	y	2	33.6	0.8	0.0893	1.1	1.5			
03035+2304	HDS 389AB	HIP 14230	12.9232	y	2	359.9	0.4	0.1405	0.3	1.7	−0.6	0.004	(Balega et al. 2005)
			12.9232	I	1	359.4	0.2	0.1403	0.2	1.3	−1.0	0.004	
03167−0332	TOK 189Aa,Ab	HIP 15247	12.9205	I	2	121.2	0.9	0.8672	0.9	3.6 *			
			12.9205	y	1	121.2	5.7	0.8760	5.7	5.6 *			
03244−1539	A 2909AB	HIP 15868	13.7367	y	2	140.2	0.8	0.0320	0.3	0.6	35.1	−0.072	(Muller 1955)
03307−1926	HDS 441	HIP 16348	12.9233	y	2	181.1	0.2	0.1769	0.1	0.4			
			13.7367	y	2	176.2	0.1	0.1572	0.2	0.6			
03309−6200	TOK 190	HIP 16370	13.7368	y	2	228.4	0.3	0.0312	0.2	1.0			
03339−3105	B 52	HIP 16628	12.9233	y	2	170.8	0.0	0.0415	0.8	1.3	66.0	0.007	(Heintz 1996)
03496−0220	YR 23	HIP 17895	12.9206	y	3	311.4	0.1	0.3431	0.1	0.7			
03544−4021	FIN 344AB	HIP 18262	12.9233	y	2	94.3	0.3	0.0868	0.5	0.8	1.2	0.002	(Hartkopf et al. 2012)
04007+2023	TOK 363Aa,Ab	HIP 18719	13.7369	I	1	94.2	1.3	0.0976	1.3	3.6			
			13.7369	y	1	95.7	4.9	0.1023	4.9	5.2			
04008+0505	A 1937	HIP 18734	12.9234	V	3	173.8	1.3	0.0403	0.6	0.1	11.5	0.004	Table 6
			13.7369	I	3	192.9	1.2	0.0483	1.0	0.9	−0.7	0.018	
04024−2832	DAW 79	HIP 18839	13.7367	y	2	136.6	0.1	0.4463	0.2	1.1	−0.8	0.005	(Mason & Hartkopf 2011b)
04070−1000	HDS 521AB	HIP 19206	13.7369	I	2	276.9	0.2	0.1701	0.1	1.2	−0.0	−0.002	(Mason & Hartkopf 2011a)
04107−0452	A 2801	HIP 19508	13.7369	y	2	146.4	0.2	0.0386	0.1	0.7	−11.4	0.008	Table 7
04119+2338	CHR 14	HIP 19591	13.7369	I	2	21.0	0.5	0.2431	1.1	1.5	−2.5	0.005	(Mason & Hartkopf 2010)
04130−2832	HWE 10	HIP 19684	13.7367	y	2	54.4	0.2	1.4130	0.3	0.5 *			
04136+0743	A 1938	HIP 19719	13.1309	y	2	152.0	0.1	0.1036	0.2	0.9	−0.4	0.001	(Muterspaugh et al. 2010)
04142−4608	RST2338	HIP 19758	13.1282	I	2	319.8	0.1	0.2998	0.3	1.2	1.7	0.014	(Söderhjelm 1999)
			13.1282	y	2	319.8	0.1	0.2995	0.5	1.3	1.7	0.013	
04163+0710	WSI 97	HIP 19911	12.9234	I	2	111.0	1.0	0.1206	0.7	1.6			
			12.9234	y	2	111.2	1.1	0.1201	0.8	2.0			
04205−0119	RST4769	HIP 20257	12.9233	y	2	26.7	0.1	0.2091	0.1	0.3	0.9	−0.000	(Hartkopf et al. 2012)
04215−2055	B 1935AB	HIP 20342	13.7367	I	2	99.6	0.3	0.3372	0.4	1.3	0.0	0.002	Table 6
			13.7367	y	2	99.6	0.4	0.3374	0.4	2.1	0.0	0.002	
04239+0928	HU 304	HIP 20522	13.1310	y	2	26.4	0.0	0.2876	0.2	0.3	−0.7	−0.005	(Hartkopf 2000)
04257−0214	BU 403	HIP 20673	12.9234	y	2	84.1	0.4	0.9722	0.7	1.5 *			
			12.9234	I	1	84.1	0.3	0.9723	0.3	1.5 *			
04258+1800	COU2682	HIP 20679	13.7370	I	2	347.4	0.2	0.2331	0.2	1.1	0.9	0.001	Table 7
04311−4522	TOK 208	HIP 21079	13.1282	I	2	23.7	0.7	1.6604	0.7	3.5 *			
			13.1282	V	2	23.9	9.4	1.6691	9.4	4.6 *			
04340−5503	B 2092AB	HIP 21281	13.1282	y	2	131.1	0.1	0.2490	0.2	1.0	0.1	0.014	(Hartkopf & Mason 2010)
04362+0814	A 1840AB	HIP 21434	13.1310	I	2	3.1	0.3	0.1666	1.0	0.5	0.3	0.011	
04368−1733	A 2915	BD−17 917	12.9233	y	2	80.8	0.4	0.0776	0.4	1.6	79.7	−0.165	(Baize 1986)
			12.9233	I	2	79.4	0.9	0.0848	0.3	1.1 :	78.3	−0.158	
			13.7369	I	2	98.3	0.4	0.0944	0.3	1.3	95.5	−0.145	
04395−4507	I 1489	HIP 21698	13.1282	y	1	210.1	0.3	0.0498	0.3	1.1	6.8	0.012	(Docoo & Campo 2012)
			13.1282	I	3	208.0	0.3	0.0543	2.9	1.0 :	4.8	0.017	
04422+0259	A 2424	HIP 21880	13.1310	V	2	36.8	1.8	0.0373	0.2	0.0	−9.2	−0.130	(Wilson 1976)
			13.1310	I	1	33.5	0.1	0.0447	0.1	0.2	−12.5	−0.122	
			13.7369	y	2	40.8	0.1	0.0589	0.1	0.7	−4.8	−0.106	
04496+0212	A 2621	HIP 22428	13.7369	I	2	139.9	0.1	0.1127	0.6	0.5	4.2	0.005	(Seymour & Hartkopf 1999)
04590−1623	BU 314AB	HIP 23166	12.9233	y	2	319.9	0.2	0.8453	0.2	1.7 *	1.5	0.051	(Söderhjelm 1999)
05017+2640	A 1844AB	HIP 23395	13.1310	y	2	25.0	0.4	0.3423	0.4	2.1	−0.7	0.008	(Mason & Hartkopf 2005)
05059−1355	A 3009	HIP 23716	12.9207	I	2	271.5	0.6	1.1856	0.3	1.4 *	1.0	0.009	Table 7
05072−1924	FIN 376	HIP 23818	12.8335	y	2	48.6	0.0	0.1207	0.1	0.7	−0.9	0.000	Table 6

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
			13.7369	y	2	48.3	0.1	0.0768	0.0	0.9	0.3	0.000	
05073−8352	HDS 669	HIP 23824	13.1283	I	2	179.6	0.5	0.1367	3.5	2.2			
			13.1283	V	1	179.0	0.6	0.1402	0.6	2.7			
05079+0830	STT 98	HIP 23879	12.9206	y	2	294.3	0.2	0.9060	0.5	1.0 *	−0.1	−0.006	(Scardia et al. 2008)
05086−1810	WSI 72	HIP 23932	12.8335	V	1	39.1	0.3	0.1253	0.3	0.9			
			12.8335	I	2	39.2	0.4	0.1237	0.1	0.2			
			13.7369	I	2	41.5	0.3	0.1147	0.7	0.4			
05103−0736	A 484	HIP 24076	12.9207	y	1	303.6	0.0	0.2075	0.0	0.4	0.6	0.002	(Hartkopf et al. 2012)
			12.9207	I	1	303.7	0.0	0.2083	0.0	0.2	0.6	0.003	
05112−0833	GOE 1Aa,Ab	HIP 24156	12.9207	I	3	18.9	0.8	0.0596	3.4	1.3			
05134+0341	TOK 211	HIP 24336	13.1310	I	2	352.5	1.5	1.2561	1.5	3.4 *			
			13.1310	V	2	352.3	3.7	1.2598	1.7	3.9 *			
05135+0158	STT 517AB	HIP 24349	13.1311	I	2	240.0	0.2	0.6870	0.3	0.5	−0.5	0.002	Table 7
05164−0139	A 844	HIP 24580	12.9207	I	2	206.9	0.2	0.2026	0.3	0.6	0.7	0.006	Table 7
			13.7370	y	2	208.4	0.4	0.1985	0.2	1.1	0.6	0.002	
05165−2106	DON 97	HIP 24592	12.8335	y	2	195.8	0.1	0.4193	0.3	1.9	−1.1	0.004	Table 7
			13.7369	y	2	196.0	0.2	0.4242	0.6	2.1	0.2	0.004	
05190−2159	RST2375	HIP 24800	12.8335	y	2	32.8	0.3	0.1481	0.1	1.0	1.1	−0.002	(Hartkopf & Mason 2011)
05229−4219	TOK 93Aa,Ab	HIP 25148	12.8336	I	2	224.4	0.2	0.0547	1.0	0.7			
05234−3640	I 275	HIP 25190	13.7369	I	2	218.0	0.2	0.8162	0.3	0.7	−0.5	−0.004	(Zirm 2010a)
05239−0052	A 847BC	HIP 25240	13.1311	y	2	320.8	0.1	0.2907	0.1	0.3	0.5	0.050	(Hartkopf 2000)
			13.7370	y	2	321.4	0.1	0.2998	0.2	0.6	0.7	0.042	
05245−0224	MCA 18Aa,Ab	HIP 25281	13.1311	y	2	317.2	1.1	0.0333	1.3	1.6	−1.1	−0.002	(Balega et al. 1999)
			13.7370	y	2	310.5	0.3	0.0513	0.9	1.5	−2.3	0.006	
05245−0224	DA 5Aa,B	HIP 25281	13.1311	y	2	76.8	5.1	1.8058	1.7	1.6			
05248−5219	I 345AB	HIP 25303	13.7369	y	2	207.8	0.1	0.2951	0.1	0.8	−0.7	−0.002	(Argyle & Alzner 2010)
05276−2055	SEE 53	HIP 25531	12.8335	y	2	96.3	0.2	0.2204	0.6	0.9	0.7	0.005	(Hartkopf & Mason 2010)
05289−0318	DA 6	HIP 25667	12.9207	y	2	295.1	0.1	0.1725	0.0	0.4	−22.0	0.022	(Ling 2010)
05320−0018	HEI 42Aa,Ab	HIP 25930	13.1311	y	2	131.0	0.0	0.3273	0.2	1.5	0.1	0.001	Table 7
05354−3316	HU 1393	HIP 26245	12.8335	y	2	300.6	0.1	0.1768	0.4	1.4			
			13.7369	y	2	299.0	0.3	0.1596	0.1	1.4			
05387−0236	BU 1032AB	HIP 26549	13.1311	y	2	81.4	0.0	0.2588	0.2	1.3	1.1	0.011	(Turner et al. 2008)
05417−0254	BU 1052	HIP 26820	13.1311	y	2	185.2	0.0	0.6291	0.3	0.8 *	0.8	0.037	(Hartkopf & Mason 2010)
05474−1032	MCA 22	HIP 27341	12.9207	y	2	285.2	0.1	0.1481	0.1	1.5			
05482+0137	A 2657	HIP 27410	13.1311	y	2	242.9	0.2	0.1408	0.1	0.3	−0.7	−0.002	(Docobo & Ling 2008)
05525−0217	HDS 787	HIP 27758	12.9207	y	2	136.3	0.1	0.0911	0.1	1.6	1.8	0.001	Table 7
			12.9207	I	2	136.6	0.4	0.0917	2.5	1.4	2.1	0.001	
			13.7370	y	2	153.9	0.1	0.1158	0.1	1.5	−0.9	0.006	
05532−6150	SLR 15	HIP 27822	13.1283	I	3	114.2	0.2	0.4781	0.4	0.6	18.9	0.179	(Heintz 1993)
05540+1225	TOK 192Aa,Ab	HIP 27878	12.9206	I	2	301.2	3.6	1.4076	3.6	3.9 *			
05598−4814	HDS 814	HIP 28393	13.7368	I	2	342.7	2.5	0.3143	0.6	2.6			
06003−3102	HU 1399AB	HIP 28442	12.9206	y	3	111.1	0.4	0.6653	0.2	1.2	−0.5	−0.001	Table 7
			13.1312	I	1	110.5	0.1	0.6594	0.1	0.6 *	−0.7	−0.002	
			13.7370	I	2	109.6	0.1	0.6408	0.4	0.9	−0.5	−0.003	
06003−3102	TOK 9CE	HIP 28442	12.9206	y	2	340.5	5.6	0.1952	4.3	4.4	−13.8	0.052	(Hartkopf et al. 2012)
			12.9206	I	2	340.5	2.3	0.1915	1.0	3.3	−13.9	0.048	
			12.9206	V	1	339.7	1.9	0.1934	1.9	4.4	−14.7	0.050	
			12.9206	y	2	340.5	5.6	0.1952	4.3	4.4	−13.8	0.052	
			13.1312	I	2	338.7	6.7	0.2152	2.0	3.4	−12.1	0.053	
			13.7370	I	2	334.7	0.9	0.2653	3.5	3.4	−9.3	0.049	
06032+1922	HDS 823Aa,Ab	HIP 28671	12.9206	I	3	164.9	2.8	0.0633	6.1	1.4			
06048−4828	DUN 23	HIP 28796	12.8308	y	2	125.0	0.4	2.6136	0.3	0.4 *	−1.0	0.016	Table 7
			13.1312	I	1	126.0	0.0	2.6166	0.0	0.4 *	−0.1	0.020	
06098−2246	RST3442	HIP 29234	13.1284	y	3	102.5	0.1	0.1866	0.3	0.3	−0.1	0.003	(Hartkopf et al. 1996)
06122−3645	RST4800	HIP 29443	13.1312	I	2	225.9	0.4	0.1368	1.2	0.7	−0.8	−0.003	Table 7
			13.7370	I	2	222.8	0.2	0.1464	0.1	0.7	−1.3	0.001	
06145+1754	KUI 24	HIP 29616	13.1310	y	2	323.0	0.1	0.3093	0.2	0.3	0.4	−0.006	(Zirm 2013)
06173+0506	CAT 1Aa,Ab	HIP 29860	13.1285	y	2	52.7	3.6	0.9002	3.7	5.6	0.1	0.010	(Hartkopf et al. 2012)
			13.1285	I	2	52.4	0.7	0.8995	0.7	3.8	−0.1	0.009	
06214+0216	A 2667	HIP 30217	13.1285	y	2	269.7	0.1	0.3419	0.1	1.4	−1.3	0.011	(Mason et al. 2009)
06253+0130	FIN 343	HIP 30547	13.1284	y	2	262.1	0.1	0.1000	1.5	0.8	1.2	0.003	Table 7
06274−2544	B 114	HIP 30733	13.1284	I	2	10.4	0.2	0.6408	0.1	0.4	0.5	0.017	(Hartkopf et al. 2012)
06298−5014	R 65AB	HIP 30953	12.8308	y	2	257.2	0.2	0.5158	0.0	0.4	−0.4	0.003	(Hartkopf & Mason 2010)
06300+1754	STT 141	HD 45727	13.1310	I	2	144.3	1.4	2.2504	0.3	1.9 *			

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
06314+0749	A 2817	HIP 31089	13.1285	I	2	335.4	0.4	0.1222	0.8	0.5	23.1	−0.006	(Popovic 1969)
06359−3605	FIN 19Aa,Ab	HIP 31509	13.7370	y	2	347.7	0.0	0.3137	0.0	1.2	1.4	−0.000	(Hartkopf & Mason 2011)
			12.9206	y	2	348.9	0.0	0.3022	0.1	1.2	0.7	−0.000	
06359−3605	RST4816Ba,Bb	HIP 31547	13.7370	y	2	126.3	0.1	0.2062	0.1	0.8	−0.2	−0.001	(Tokovinin 2012)
			12.9206	y	2	131.3	0.1	0.1974	0.2	0.7	−0.3	−0.001	
06380−6132	I 5AB	HIP 31711	12.8308	y	2	101.2	0.5	0.5654	0.5	2.4	−0.7	−0.003	(Zirm 2010b)
06410+0954	CHR 168Aa,Ab	HIP 31978	13.1285	y	2	262.0	0.2	0.1180	0.3	1.5	−0.2	0.008	(Cvetkovic 2011)
06425−4234	I 283	HIP 32111	13.1312	I	2	193.6	0.4	2.3519	1.5	2.5 *			
			13.7370	I	2	194.1	1.3	2.3518	1.0	2.5 *			
06439−5434	HDS 934	HIP 32242	12.8308	y	2	102.5	0.3	0.1126	0.3	0.7 :	−0.4	0.000	(Hartkopf et al. 2012)
			13.7371	I	2	140.9	0.3	0.1023	0.3	0.5	−3.3	0.009	
06454−3148	EHR 9A,Ba	HIP 32366	13.7370	I	2	206.6	1.6	1.3649	2.9	6.3			
06454−3148	EHR 9Ba,Bb	HIP 32366	13.7370	I	2	74.5	2.2	0.1012	9.8	1.0			
06485−1226	A 2935	HD 49572	13.1284	I	2	320.2	0.2	0.2135	0.8	0.3	−2.0	−0.006	(Hartkopf et al. 2012)
06490−1509	AC 4	HIP 32677	13.1284	y	2	345.2	0.1	0.3842	0.2	1.8			
06493−0216	FIN 322	HIP 32698	13.1284	y	2	270.7	0.1	0.1044	0.4	0.9	1.0	0.002	(Hartkopf & Mason 2011)
06494−3325	RST2433	HIP 32709	13.7370	I	3	222.7	0.6	1.5160	0.3	0.1 *			
06545−2734	B 706	HIP 33197	13.1284	I	2	292.4	0.2	0.7229	0.2	0.4	0.3	−0.003	Table 7
06573−3530	I 65	HIP 33451	13.7371	y	2	146.5	0.0	0.2485	0.0	0.4	0.5	0.004	(Docobo & Ling 2009)
06573−4929	RST5253AB	HIP 33455	13.1312	I	2	315.4	3.4	0.1681	0.4	0.5	2.6	0.007	(Hartkopf et al. 2012)
			13.7371	I	2	316.5	0.8	0.1762	2.3	0.8	1.0	0.008	
06573−4929	RST5253AC	HIP 33455	13.1312	I	2	238.6	1.6	1.0610	2.0	2.0			
			13.7371	I	2	239.2	1.8	1.0685	0.5	2.3			
07015−0942	A 3042AB	HD 52590	12.9208	y	2	232.7	0.2	0.1562	1.0	1.2	181.2	−0.000	Table 7
07029−1313	HDS 980	HIP 33973	13.1313	y	2	226.1	0.6	0.4723	0.6	3.2			
07043−0303	A 519AB	HIP 34110	12.9208	I	2	117.9	1.0	0.0953	1.8	0.5	6.6	−0.002	Table 7
			12.9208	y	2	117.8	0.8	0.0936	1.4	0.6	6.5	−0.004	
07074−2350	CHR 246	HIP 34360	12.9207	y	2	11.1	0.7	0.0888	1.3	1.9			
07092+1903	CHR 216	HIP 34524	12.9210	I	2	165.1	0.2	0.1150	1.7	1.4			
			12.9210	y	2	164.5	0.6	0.1164	2.2	2.1			
07113−1032	A 2122	HIP 34702	13.1285	I	2	176.2	0.3	0.0848	0.4	0.5	24.4	−0.039	(Seymour et al. 2002)
			13.1285	V	2	177.2	0.1	0.0841	0.1	0.4	25.4	−0.039	
07123−4030	HDS1001	HIP 34802	12.8335	y	2	269.4	0.4	0.6797	0.4	4.2			
07143−2621	FIN 323	HIP 34981	12.9207	y	2	341.1	0.0	0.0985	0.0	0.2	180.7	−0.031	Table 7
07155−7552	I 312	HIP 35102	13.1311	y	2	197.7	0.2	0.0705	0.6	0.8			
			13.1311	I	1	196.3	0.1	0.0673	0.1	0.3			
07168+0059	A 2855	HIP 35221	13.1285	I	2	164.3	0.2	0.2861	0.2	0.4	2.2	0.010	(Mason et al. 2009)
07171−1202	A 2123AB	HIP 35261	13.1285	I	2	356.1	0.2	0.3957	0.0	0.5	0.2	0.009	(Mason & Hartkopf 2011a)
07175−4659	I 7	HIP 35296	12.8335	y	2	202.7	0.2	0.7149	0.1	1.4	−0.9	0.006	(Mason & Hartkopf 2011b)
07185−5721	HDS1013Aa,Ab	HIP 35374	13.1311	I	2	233.9	0.1	0.3532	0.1	0.5	0.2	−0.003	(Hartkopf et al. 2012)
07185−5721	RST 244Ba,Bb	HIP 35374	13.1311	I	1	357.1	10.	0.914	10.	0.3 :			
07185−5721	RST 244Aa,Ba	HIP 35374	13.1311	I	1	262.4	0.0	2.9035	0.0	3.6			
07187−2457	FIN 313Aa,Ab	HIP 35415	12.9207	y	2	129.3	0.0	0.1190	2.4	0.9			
07187−2457	TOK 42Aa,E	HIP 35415	12.9207	y	2	87.9	0.6	0.9405	2.1	4.4			
07294−1500	STF1104AB	HIP 36395	12.9208	y	1	34.6	0.1	1.8227	0.1	1.3 *	−0.4	0.004	Table 7
07324−3558	RST4855	HIP 36657	13.1313	y	2	6.8	0.1	0.2720	0.0	1.5	0.1	−0.026	Table 7
07374−3458	FIN 324AC	HIP 37096	12.8335	y	2	305.8	0.1	0.1575	0.1	1.5	0.6	−0.001	(Hartkopf et al. 2012)
07378−0236	A 534AC	HIP 37134	13.1285	y	1	303.8	1.1	1.4389	1.1	2.8 *			
			13.1285	I	2	303.7	0.8	1.4361	1.4	3.2 *			
07411−0124	A 1968	HD 61809	12.9208	I	2	309.2	0.1	0.3163	0.1	0.2	179.7	−0.001	Table 7
07430−1704	HU 710	HIP 37608	13.1313	y	2	63.0	0.1	0.4722	0.1	0.7	0.2	0.005	Table 7
07435+0329	TOK 355Aa,Ab	HIP 37645	13.1285	y	2	330.2	1.7	0.2078	5.2	3.7			
			13.1285	I	2	329.6	4.0	0.2075	0.8	3.2			
07435−2711	B 737	HIP 37646	13.1313	y	2	6.2	0.1	0.0858	0.2	0.5			
07448−3344	STN9001	HIP 37781	13.1313	I	2	29.0	0.1	1.0952	0.6	0.0 *			
07456−3410	TOK 193Aa,Ab	HIP 37853	12.8335	y	2	95.5	0.5	0.2322	0.9	4.0			
			12.8335	I	2	95.3	2.3	0.2321	1.0	3.1			
07478−0332	RST4375	HIP 38039	13.1285	I	2	278.5	0.3	0.2134	0.8	0.7	0.2	0.001	Table 6
			13.1285	y	2	278.7	0.3	0.2139	0.5	1.0 :	0.4	0.002	
07479−1212	STF1146	HIP 38048	13.1313	y	2	341.0	0.1	1.1226	0.3	1.8 *	−0.4	−0.005	(Hartkopf & Harshaw 2013a)
07490−2455	TOK 194	HIP 38146	12.9208	y	2	162.3	0.2	0.0482	0.2	1.1			
			13.1313	y	2	176.1	0.1	0.0471	0.1	0.9			
07508+0317	A 2880	HIP 38300	13.1285	y	2	152.9	0.1	0.1503	0.1	0.4	−4.8	0.000	(Hartkopf et al. 2000)
07518−1354	BU 101	HIP 38382	12.9208	y	2	290.3	0.3	0.5469	0.3	1.0	0.1	0.003	(Tokovinin 2012)

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
07522−4035	TOK 195	HIP 38414	12.8335	y	2	108.5	0.9	0.0254	2.9	2.4 :			
07523−2626	WSI 54AB	HIP 38430	12.9208	y	2	224.6	2.2	0.0447	2.8	0.7			
			12.9208	V	1	235.6	0.0	0.0466	0.0	0.4			
			12.9208	R	2	235.0	0.8	0.0427	6.5	0.1			
			13.1313	V	3	234.5	1.0	0.0455	7.6	1.2			
07523−2626	WSI 54AC	HIP 38430	13.1313	V	3	230.7	1.2	0.0901	6.1	1.0			
			12.9208	y	2	228.9	5.6	0.0908	1.6	1.0			
			12.9208	V	1	232.8	0.0	0.0926	0.0	0.7			
			12.9208	R	2	230.6	1.6	0.0915	7.2	0.1			
07528−0526	FIN 325	HIP 38474	13.1313	y	2	358.4	0.1	0.3865	0.2	1.2	−0.7	0.002	(Hartkopf et al. 1996)
07546−0248	STF1157	HD 64607	13.1313	y	2	177.0	0.1	0.6753	0.2	0.4	−1.8	−0.018	(Ling 2010)
08024+0409	STF1175	HIP 39325	12.9210	I	2	285.1	0.1	1.4298	0.9	1.3 *	−4.3	0.050	(Olevic & Jovanovic 2001)
08125−4616	CHR 143Aa,Ab	HIP 40183	12.9208	y	2	350.4	0.1	0.0632	0.6	0.8	−6.0	0.033	(Mason et al. 2010)
08125−4616	SEE 96AB	HIP 40183	12.9208	y	2	274.9	0.7	0.6275	1.8	1.0			
08151−0655	MET 52	HIP 40419	12.9209	I	2	96.1	5.9	1.4716	10.7	5.7 *			
08173−0522	A 337	HIP 40592	13.1285	y	2	62.1	0.6	0.5293	0.4	0.9 :	−0.9	0.001	Table 7
08213−0136	STF1216	HIP 40941	13.1285	y	2	304.8	0.2	0.5312	0.1	0.7	−0.8	0.009	Table 7
08250−4246	CHR 226Aa,Ab	HIP 41250	12.9209	y	2	264.6	0.7	0.0451	0.8	0.8			
08250−4246	RST4888AB	HIP 41250	12.9209	y	2	103.4	0.1	0.5369	0.1	0.8			
08251−4910	RST 321	HIP 41261	13.1287	y	2	167.0	0.1	0.3325	0.1	0.8	−0.1	0.012	(Hartkopf et al. 2012)
08270−5242	B 1606	HIP 41426	12.9208	y	2	324.8	0.2	0.0649	0.2	1.0	2.1	−0.007	(Tokovinin 2012)
			13.1287	y	1	337.9	0.1	0.0599	0.1	1.0	4.0	−0.008	
08275−5501	FIN 116	HIP 41464	12.9208	y	2	233.1	0.0	0.2511	0.0	0.4	0.6	0.002	Table 7
08276−2051	B 2179	HIP 41475	13.1314	y	2	220.2	0.1	0.4364	0.1	1.8			
08280−3507	FIN 314Aa,Ab	HIP 41515	12.9209	y	2	46.5	0.2	0.1164	0.2	1.1	−5.2	−0.006	(Hartkopf et al. 2012)
08289−1552	RST4403	HIP 41609	12.9209	y	2	264.1	7.2	1.3236	2.2	3.5 *			
			12.9209	I	1	264.0	0.3	1.3205	0.3	2.7			
08291−4756	FIN 315Aa,Ab	HIP 41616	13.1287	y	2	205.6	0.1	0.1028	0.0	1.5	0.6	0.000	(Docobo & Andrade 2013)
08315−1935	I 489	HIP 41817	13.1314	y	2	290.4	0.0	0.3626	0.0	0.9	1.0	−0.002	(Mason et al. 2009)
08317−2601	I 807	HD 72397	13.1314	y	2	161.5	0.0	0.4367	0.2	0.4			
08327−5528	HDS1221Aa,Ab	HIP 41906	13.1287	y	2	42.8	0.8	0.0479	0.4	2.0			
08331−2436	BU 205AB	HIP 41949	13.1314	y	2	291.0	0.1	0.5614	0.2	0.3	2.2	−0.028	(Hartkopf & Mason 2010)
08345−3236	FIN 335	HIP 42075	13.1314	y	2	245.5	0.2	0.0762	0.0	0.5	3.3	−0.007	(Tokovinin 2012)
08380−0844	HDS1242	HIP 42345	12.9209	I	2	56.0	0.3	0.1560	0.1	1.2	−2.4	0.022	(Hartkopf et al. 2012)
			12.9209	y	2	56.2	0.2	0.1549	0.3	1.4	−2.2	0.021	
08391−2240	BU 208AB	HIP 42430	13.1314	y	2	40.4	0.0	0.9771	0.2	1.3 *	−6.0	0.189	(Heintz 1990)
08391−5557	HU 1443AB	HIP 42424	13.1287	y	2	18.2	2.8	0.9179	0.9	1.6			
			13.1287	I	2	18.5	3.8	0.9173	1.8	1.4			
08391−5557	TOK 356BC	HIP 42424	13.1287	y	2	129.4	3.8	0.0861	4.1	2.7			
			13.1287	I	2	126.3	7.1	0.0743	6.6	2.8			
08421−5245	B 1624	HIP 42695	12.9208	y	2	230.3	0.2	0.2286	0.2	1.5	−0.3	0.014	(Hartkopf et al. 2012)
08431−1225	RST3603	HIP 42790	12.9209	I	2	325.5	0.1	0.3706	0.1	0.4	3.2	0.003	(Hartkopf & Mason 2010)
08447−4238	CHR 238	HIP 42916	12.9209	y	2	295.7	0.2	0.0640	0.1	2.1	2.5	−0.007	(Hartkopf et al. 2012)
08447−5443	I 10AB	HIP 42913	13.1287	y	2	262.9	0.4	0.3650	0.4	3.3	−0.9	−0.018	(Mason 2011)
08474−1703	BU 586	HIP 43152	13.1314	y	2	44.3	0.1	0.2242	0.1	1.3	6.1	−0.133	(Mason et al. 2009)
08486+0237	A 2551	HD 75192	13.1286	V	2	100.7	1.1	0.1309	1.1	1.7	0.3	0.008	(Hartkopf et al. 2012)
08494+0341	A 2899	HIP 43304	13.1286	I	2	239.2	1.4	0.6555	1.4	2.6 *			
08495+0852	BU 1068AB	HIP 43317	12.9210	I	2	321.1	0.3	0.3763	0.2	1.4	0.2	0.006	(Hartkopf & Mason 2010)
08538−4731	FIN 316	HIP 43671	13.1287	y	2	103.2	0.0	0.0813	0.2	0.7	1.8	−0.001	(Hartkopf et al. 2012)
			13.1287	I	2	104.4	0.2	0.0794	0.1	0.6	2.9	−0.002	
08539+0149	A 2554	HIP 43676	13.1286	y	2	258.3	0.5	0.2142	0.3	2.3	11.4	−0.019	(Zirm 2007)
08542−0229	A 1754	HD 76119	12.9210	I	2	128.0	0.2	0.3742	0.2	0.5	1.5	0.011	(Hartkopf & Mason 2010)
08547+1637	AG 338	HIP 43751	12.9210	I	2	167.9	0.1	2.1166	0.7	1.3			
08547+1637	TOK 196Aa,Ab	HIP 43751	12.9210	I	2	149.6	2.0	0.1681	8.2	2.3			
08563−3707	RST2593	HIP 43880	12.9209	y	2	333.8	0.8	0.9276	0.5	2.8 *	−1.0	−0.001	(Hartkopf & Mason 2011)
			12.9209	I	2	333.8	0.4	0.9278	0.5	3.7 *	−1.0	−0.001	
08574−5140	HDS1297	HIP 43983	13.1287	I	3	102.9	0.8	0.5711	0.8	2.5			
08589+0829	DEL 2	GJ 3522	12.9210	I	1	106.5	0.2	0.4612	0.2	0.7	1.5	0.164	(Hartkopf et al. 2012)
09024−6624	TOK 197	HIP 44382	13.1288	y	2	292.5	1.0	0.0284	0.1	0.0			
			13.2380	y	3	280.8	0.5	0.0290	0.3	0.1			
09071−6146	HDS1326	HIP 44745	13.1288	y	1	200.7	1.4	0.7636	1.4	1.9 *			
			13.1288	I	2	200.8	0.5	0.7618	0.3	2.1 *			
09079−0708	TOK 64Aa,Ab	HIP 44804	13.1286	y	2	307.7	3.3	0.4479	3.3	4.1			
			13.1286	I	3	307.9	2.5	0.4558	1.1	3.0			

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
09086−2550	RST2610AB	HIP 44874	13.1314	I	2	1.9	0.4	1.7946	6.5	4.8			
			13.1315	y	1	1.9	0.0	1.7812	0.0	7.2			
09086−2550	TOK 357BC	HIP 44874	13.1314	I	2	219.2	4.2	0.1258	5.1	0.9			
			13.1315	y	1	231.5	0.0	0.1185	0.0	7.5			
09100−2845	B 179	HIP 45003	13.1315	I	2	154.5	0.1	0.3416	0.2	0.3	−4.5	−0.053	(Heintz 1993)
09125−4032	B 1115	HIP 45191	13.1315	y	2	135.1	0.1	0.1947	0.7	0.7	−2.2	−0.010	Table 7
09125−4337	HJ 4188AB	HIP 45189	13.1315	y	2	280.6	0.7	2.8871	0.1	0.8 *			
09128−6055	HDO 207AB	HIP 45214	13.1288	y	2	97.4	0.1	0.1390	0.3	0.4	−2.3	0.004	(Mason & Hartkopf 2011a)
			13.2380	y	2	97.9	0.0	0.1388	0.1	0.4	−2.1	0.004	
09173−6841	FIN 363AB	HIP 45571	13.1288	y	2	114.9	0.4	0.0529	0.1	0.6	11.5	0.006	(Tokovinin 2012)
09191−4128	CHR 239	HIP 45705	13.1315	y	3	288.2	1.0	0.0701	1.1	2.3	0.1	0.000	Table 6
			13.2379	y	2	278.7	0.5	0.0659	0.3	2.2	−0.8	−0.001	
			13.2379	I	2	279.1	0.4	0.0708	2.1	1.6	−0.4	0.004	
09193−5856	HDS1342	HIP 45726	13.1288	y	2	165.0	2.2	1.0265	2.2	3.6 *			
			13.1288	I	1	165.1	0.9	1.0247	0.9	4.6 *			
09194−7739	KOH 83Aa,Ab	HIP 45734	13.1288	I	2	153.4	1.1	0.1225	1.0	0.7			
09207−0742	A 1082AB	HD 80615	13.1286	I	2	207.3	0.6	0.4840	0.2	0.8	−0.1	0.012	(Docobo & Ling 2011)
09228−0950	A 1342AB	HIP 45999	13.1286	y	2	203.9	0.2	0.1644	0.3	1.1	−3.1	0.008	(Mason & Hartkopf 2011a)
09243−3926	FIN 348	HIP 46114	13.0796	y	2	260.7	0.1	0.1533	0.7	0.7	0.1	−0.001	Table 7
			13.2379	y	2	259.8	0.0	0.1535	0.0	0.4	−0.1	0.000	
09252−1258	WSI 73	HIP 46191	13.1286	I	2	279.4	0.5	0.1197	1.4	0.4			
09264−4215	B 1122	HIP 46290	13.0796	y	2	233.9	0.3	0.1523	0.6	0.7	−0.7	−0.004	Table 7
			13.2379	y	2	233.8	0.0	0.1556	0.1	0.3	−1.0	−0.001	
09275−5806	CHR 240	HIP 46388	13.1287	y	2	292.9	2.6	0.0351	0.3	0.2			
			13.2380	y	2	285.6	0.1	0.0378	0.5	0.4			
09278−0604	B 2530	HIP 46404	13.1286	y	2	333.6	0.1	0.2807	0.2	1.6	−14.0	0.160	(Söderhjelm 1999)
09293−4432	HDS1360Aa,Ab	HIP 46523	13.1315	y	2	155.8	0.4	0.4153	0.9	3.0			
09307−4028	COP 1	HIP 46651	13.0796	y	3	111.7	0.7	0.9680	1.7	0.9 *	−2.2	−0.085	(Mason & Hartkopf 2001)
09313−1329	KUI 41	HIP 46706	13.1286	I	2	279.4	0.4	0.7127	0.1	0.3	1.1	0.024	(Söderhjelm 1999)
09327+0152	FIN 349	HIP 46840	13.1286	y	2	215.8	0.3	0.0533	0.3	0.3	4.2	−0.002	(Mason & Hartkopf 2011a)
09383+0150	TOK 358	HIP 47292	13.1286	y	2	344.4	0.9	0.4533	0.9	3.7			
			13.1286	I	2	344.3	1.5	0.4525	0.7	3.0			
09387−3937	I 202	HIP 47328	13.0796	y	2	320.3	0.7	0.3183	1.0	2.6	1.3	0.018	(Hartkopf et al. 2012)
09398−1034	CHR 175	HIP 47427	13.1286	y	2	130.3	0.2	0.3272	0.7	2.4			
09407−5759	B 780	HIP 47479	13.1288	y	1	224.5	0.0	0.1148	0.0	0.4	−4.7	−0.004	(DeRosa et al. 2012)
09415−1829	TOK 43Aa,Ab	HIP 47537	13.1315	I	1	25.3	0.1	0.4242	0.1	1.6			
			13.1315	I	1	25.5	0.0	0.4303	0.0	1.7			
09416−3830	TOK 198	HIP 47543	13.1315	I	2	50.0	1.6	0.4709	1.6	4.6			
09442−2746	FIN 326	HIP 47758	13.0795	y	1	14.1	0.1	0.1433	0.1	1.1	−0.4	0.000	(Docobo & Andrade 2013)
09488−5237	B 1663	HIP 48133	13.1287	I	2	332.2	0.5	1.1087	0.5	2.7 *			
09495−1033	A 1344	BD−08 2935	13.1286	I	2	279.4	0.2	0.2205	0.5	0.3	71.1	0.036	(Heintz 1986b)
09505+0421	RAO 90Ba,Bb	HIP 48273B	13.1286	I	4	83.2	0.8	0.1548	2.3	0.5 :			
09527−7933	KOH 86	HD 86588	13.1288	I	2	285.9	1.4	0.2927	1.3	1.9			
09535+1657	CHR 219	HIP 48504	13.1316	I	2	72.4	0.2	0.2534	0.7	0.5	0.3	0.002	(Hartkopf et al. 2012)
10095−3551	RST2678	HIP 49769	13.1315	I	2	345.1	0.2	0.7755	0.2	3.7 *			
10120−2836	B 194	HIP 49967	13.1289	y	2	198.5	0.1	0.1847	0.1	0.5	−26.0	0.069	(Seymour et al. 2002)
10161−2837	TOK 199	HIP 50288	13.1289	y	2	88.0	0.3	0.0511	0.3	0.6			
10161−5954	HU 1597	HIP 50287	13.1315	y	2	158.1	0.1	0.2884	0.1	0.4	0.1	0.006	(Mason et al. 2009)
10163−2859	I 851	HIP 50309	13.1289	y	2	235.6	0.0	0.3836	0.2	0.3	0.8	0.002	(Hartkopf & Mason 2010)
10183−0326	RST4454AB	HD 89334	13.1316	I	2	223.3	0.2	0.2919	0.2	0.5	0.2	0.002	(Hartkopf & Mason 2011)
10217−0946	BU 25	HIP 50747	13.1316	I	3	131.0	0.3	1.5894	0.8	0.6 *			
10282−2548	FIN 308AB	HIP 51255	13.1289	y	2	293.7	3.8	0.1300	1.5	0.6	178.4	0.006	(Hartkopf et al. 2012)
10282−2548	B 199AC	HIP 51255	13.1289	y	2	174.4	0.5	1.1526	3.0	3.7			
10311−2411	B 201AB	HIP 51501	13.1289	y	1	68.0	0.4	1.9822	0.4	3.5 *			
			13.1289	I	1	68.0	0.2	1.9815	0.2	4.2 *			
10361−2641	BU 411	HIP 51885	13.1289	y	2	305.7	0.1	1.3336	0.3	1.2 *	0.1	−0.004	Table 7
10370−0850	TOK 44Aa,Ab	HIP 51966	13.1316	y	1	81.9	0.0	0.1245	0.0	2.9			
			13.1316	I	2	83.8	4.3	0.1350	5.0	2.3			
10370−0850	A 556Aa,B	HIP 51966	13.1316	y	1	198.8	0.0	0.9080	0.0	2.9	−0.8	0.015	Table 7
			13.1316	I	2	198.6	3.8	0.9056	4.0	2.2	−1.0	0.013	
10375−0932	RST3708	HD 92015	13.1316	I	2	355.5	0.3	0.5007	0.2	1.3	−74.1	0.258	(Heintz 1991)
10415−2705	B 203	HIP 52325	13.1289	y	2	15.1	0.3	0.9836	0.3	2.2 *			
			13.1289	I	1	15.1	0.2	0.9839	0.2	2.3 *			
10419−7811	HDS1530	HIP 52351	13.1288	I	2	165.4	0.4	0.1685	0.6	0.7			

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
10426+0335	A 2768	HIP 52401	13.1316	y	2	246.6	0.2	0.6137	0.1	1.7	0.4	0.010	(Hartkopf & Mason 2010)
10446+0530	A 2771	HIP 52547	13.1316	I	2	117.6	0.2	0.4661	0.2	0.7	−0.5	0.015	Table 7
10465−6416	FIN 364AB	HIP 52701	13.1288	y	2	139.5	6.0	0.0840	2.8	0.8	3.1	0.011	(Hartkopf et al. 2012)
			13.1288	I	2	139.8	1.8	0.0757	1.4	0.8	3.4	0.002	
			13.1315	I	2	139.1	3.5	0.0804	2.6	0.9	2.7	0.007	
			13.1316	y	2	137.2	0.6	0.0852	0.8	1.0	0.7	0.012	
10465−6416	TOK 45AC	HIP 52701	13.1288	y	2	14.6	0.1	0.7014	5.7	4.2			
			13.1288	I	2	14.9	0.1	0.7025	1.3	3.6			
			13.1315	I	2	14.2	0.4	0.7068	1.3	3.7			
			13.1316	y	2	14.4	1.1	0.7061	2.8	4.5			
10468−4925	R 155	HIP 52727	13.1315	I	2	55.9	1.0	2.2813	1.2	4.2 *	0.1	−0.074	Table 7
10529−1717	HDS1556	HIP 53206	13.1289	y	2	255.8	0.4	0.0579	0.4	0.1	12.3	0.006	(Hartkopf et al. 2012)
10557+0044	BU 1076	HIP 53423	13.1316	y	2	52.5	0.3	1.1454	0.5	3.2 *	0.1	0.019	(Hartkopf & Mason 2010)
10592−8133	I 212	HIP 53700	13.1288	y	2	5.8	0.1	0.3406	0.2	0.5	0.2	0.004	Table 7
11009−4030	FIN 365	HIP 53840	13.2380	y	2	109.0	0.1	0.1589	0.1	0.4	1.7	0.007	(Tokovinin 2012)
11014−1204	HDS1572	HIP 53879	13.1290	y	2	120.1	1.8	0.0301	1.2	0.9			
11042−5828	JSP 459AB	HD 96118	13.1288	I	2	122.6	1.9	2.2892	1.9	5.4 *			
11056−1105	TOK 221	HIP 54214	13.2381	I	2	60.2	2.1	0.5967	5.5	5.4			
11101−3822	B 795	HIP 54577	13.2380	y	2	187.0	0.2	0.7473	0.3	1.9 *			
11102−1122	HDS1590	HIP 54580	13.1290	y	2	312.1	0.1	0.1037	1.1	0.4	2.0	0.010	(Hartkopf et al. 2012)
11125−1830	BU 220	HIP 54742	13.1289	y	2	316.0	0.0	0.2720	0.2	1.2	16.8	0.182	(Heintz 1995)
			13.2380	I	2	315.9	0.0	0.2715	0.0	0.8	17.4	0.184	
11170−0708	BU 600AB	HIP 55106	13.2381	I	2	210.7	0.7	1.3302	0.7	3.9 *			
11175−5906	RST4472BC	HIP 55149	13.1288	I	3	33.3	2.9	0.2870	4.4	1.0			
11175−5906	R 163AB	HIP 55149	13.1288	I	3	58.1	4.5	1.6098	2.8	0.9			
11192−1950	TOK 383Aa,Ab	HD 98412	13.2380	I	3	26.0	0.4	0.0564	2.9	0.1			
			13.2381	y	2	25.8	0.2	0.0518	0.2	0.3			
			13.2381	V	2	25.9	0.6	0.0480	0.2	0.0 :			
11210−5429	I 879	HIP 55425	13.1288	y	2	86.3	0.1	0.1571	0.0	1.5	−0.4	0.000	(Tokovinin 2012)
11221−2447	I 507AB	HIP 55505	13.1289	I	2	5.3	0.1	0.6300	0.2	0.3	0.4	−0.167	(Tokovinin 1999)
			13.1289	R	1	5.3	0.1	0.6291	0.1	0.6	0.4	−0.168	
11250−3200	CHR 242Aa,Ab	HIP 55714	13.2380	y	2	131.6	0.1	0.1418	0.2	1.4			
11268−5310	I 883	HIP 55849	13.1288	y	2	232.1	0.1	0.2354	0.2	0.6	0.3	−0.003	(Hartkopf & Mason 2010)
11272−1539	HU 462	HIP 55875	13.1289	y	2	97.0	0.2	0.4274	0.1	0.6	−2.9	0.027	(Mason et al. 2006)
11279−0142	RST4944	HIP 55941	13.2381	y	2	227.8	0.3	0.1339	0.8	1.9	−0.8	−0.001	(Hartkopf & Mason 2010)
11318−2047	TOK 222	HIP 56245	13.2381	I	2	65.9	1.2	1.0683	1.2	4.8 *			
			13.1289	y	1	65.9	2.9	1.0633	2.9	5.1 *			
			13.1289	I	2	65.8	1.9	1.0683	1.9	5.5 *			
11329−3613	I 1544	HIP 56326	13.2380	I	2	63.5	1.2	1.3805	0.4	4.3 *			
11342+1101	HDS1642AB	HIP 56429	13.1290	y	2	246.1	0.3	1.1310	0.6	2.7 *			
			13.2381	I	2	246.1	0.3	1.1312	1.6	2.2 *			
			13.2381	y	2	246.3	0.6	1.1311	0.6	3.0 *			
11387−1312	KUI 58Aa,Ab	HIP 56802	13.1290	I	3	248.7	0.4	1.0397	0.4	4.3 *			
11395−6524	B 1705AB	HIP 56862	13.1288	y	2	92.5	0.1	0.2000	0.4	1.5	0.5	−0.001	Table 7
11420−1701	TOK 384Aa,Ab	HIP 57078	13.2381	y	2	128.5	1.2	0.1467	0.8	3.6			
			13.2381	I	2	131.0	2.3	0.1516	2.4	2.9			
11420−1701	TOK 384Aa,B	HIP 57078	13.2381	I	2	95.0	0.1	1.1089	3.2	5.3			
11425+2355	COU 390	HIP 57112	13.2382	I	2	261.9	0.8	0.2995	0.8	1.6			
11446−4925	RST9004AB	HIP 57269	13.1288	I	2	199.5	0.2	0.2085	0.4	1.2	−51.1	0.017	(Heintz 1986b)
11495−4604	FIN 366	HIP 57657	13.1288	y	2	80.4	0.1	0.0844	0.3	1.3	−1.8	−0.004	Table 7
11514+1148	HDS1672	HIP 57821	13.1290	y	2	96.0	0.8	0.2146	0.8	3.7	−0.8	0.002	Table 6
			13.1290	I	2	95.4	1.1	0.2147	0.7	3.3	−1.4	0.002	
11525−1408	HDS1676	HIP 57894	13.1290	y	2	133.5	0.3	0.1697	0.6	1.4	−0.1	0.000	Table 6
			13.2381	y	2	134.3	0.1	0.1676	0.1	1.3	−0.2	0.001	
11544−3745	HWE 71	HIP 58057	13.2380	y	2	89.5	0.2	0.2772	0.2	1.9			
12018−3439	I 215	HIP 58669	13.1316	y	2	41.4	0.0	0.2407	0.0	1.1	−0.7	−0.012	Table 7
12036−3901	SEE 143	HIP 58799	13.1316	y	2	28.3	0.0	0.5200	0.2	0.6	−0.3	0.007	Table 7
12270−0332	A 79AB	HIP 60749	13.1290	y	2	98.8	0.2	0.4816	0.2	1.1	10.1	0.112	(Mante 2003)
12283−6146	CPO 12AB	HIP 60845	13.1318	y	1	188.4	0.0	1.9783	0.0	2.6	1.1	−0.127	(Seymour et al. 2002)
12283−6146	RST4499BC	HIP 60845	13.1318	y	1	170.9	0.0	0.2145	0.0	0.4	1.1	−0.003	Table 7
			13.1318	y	1	170.7	0.1	0.2125	0.1	0.6	0.9	−0.005	
12314−5659	RST2802	HD 108938	13.2382	I	2	50.8	0.3	1.2342	1.1	1.9 *			
12392−4022	B 1215	HIP 61729	13.1317	y	2	357.7	0.1	0.2383	0.1	0.4	−1.2	0.010	(Rica Romero 2010)
12396−3717	DAW 63	HIP 61775	13.1317	y	2	118.2	0.1	0.3170	0.1	0.8	0.5	0.019	(Hartkopf & Mason 2010)

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
12415−4858	HJ 4539AB	HIP 61932	13.2382	y	2	224.2	0.1	0.1442	0.1	0.2	−36.0	−0.003	(Starikova 1981)
12417−0127	STF1670AB	HIP 61941	13.1290	y	3	10.4	0.3	1.9672	0.3	0.1 *	−0.3	−0.006	(Scardia et al. 2007)
12446−5717	FIN 65AB	HIP 62179	13.2382	y	2	86.6	0.1	0.2881	0.2	1.2	0.0	−0.002	(Docobo & Andrade 2013)
12452−4656	HDS1787	HIP 62228	13.2382	I	2	295.3	0.7	0.0716	0.6	0.2			
12463−6806	R 207	HIP 62322	13.1318	y	2	50.3	0.1	1.0408	0.7	0.5 *	−6.0	0.124	(Rica 2012)
12485−1543	WSI 74Aa,Ab	HIP 62505	13.1290	y	2	150.4	0.2	0.0991	0.2	1.6	−2.9	−0.003	Table 6
12509−5743	TOK 385	HIP 62699	13.2382	I	2	112.9	2.2	0.1868	4.9	3.6			
13081−6518	CHR 247Aa,Ab	HIP 64094	13.1291	y	2	148.0	2.0	0.0461	1.1	0.0			
			13.2382	y	2	106.7	2.1	0.0258	2.7	0.7			
13106−3128	RST1706	HIP 64292	13.1317	y	2	116.2	0.4	0.1947	0.4	2.2			
			13.1317	I	1	116.1	0.1	0.1962	0.1	1.6			
13123−5955	SEE 170AB	HIP 64425	13.1291	y	2	119.6	0.1	0.2185	0.5	1.8	−3.9	0.009	(Finsen 1964)
13126−6034	WSI 75Aa,Ab	U1312-6033	13.1291	y	1	83.9	0.4	0.0837	0.4	2.9			
			13.1291	R	1	84.7	0.6	0.0783	0.6	3.2			
			13.2382	I	2	84.0	1.7	0.0845	6.6	2.1			
13132−0233	TOK 69Aa,Ab	HIP 64498	13.1291	y	1	307.8	1.3	0.3810	1.3	4.4			
			13.1291	I	2	307.3	2.1	0.3829	0.7	3.1			
13137−6248	HDS1852	HIP 64537	13.1291	y	1	136.7	0.2	0.1863	0.2	0.7			
			13.1291	I	2	136.7	0.2	0.1870	1.0	0.4			
13138−6335	WSI 57	HD 114737	13.2383	I	2	54.0	3.0	0.1932	1.2	2.4			
13145−2417	FIN 297AB	HIP 64603	13.1317	y	2	7.3	0.0	0.1793	0.2	0.4	1.5	−0.044	(Mason et al. 2010)
13147−6335	WSI 58Aa,Ab	HIP 64624	13.1291	y	2	278.9	0.0	0.2376	0.0	2.3			
			13.1291	y	1	279.6	0.2	0.2440	0.2	2.2			
13147−6335	MLO 3Aa,Ba	HIP 64624	13.1291	y	1	38.9	0.0	1.6938	0.0	2.7			
13147−6335	MLO 3Ba,Bb	HIP 64624	13.1291	y	2	88.0	5.0	0.322	5.0	3.3 :			
13149−1122	RST3829Aa,Ab	HIP 64638	13.1290	y	2	154.3	0.3	0.5678	0.1	1.8 *	0.6	−0.004	Table 7
13169−3436	I 1567	HIP 64804	13.1317	y	2	130.4	0.2	0.2895	0.1	1.2	−3.0	0.050	(Heintz 1986a)
13175−4033	I 425	HIP 64835	13.1317	y	2	354.1	0.3	0.2504	0.3	1.2 :			
13226−6059	FIN 208AB	HIP 65271	13.2383	y	3	160.0	1.7	0.0510	3.0	2.2			
13254−5947	WSI 76	HIP 65492	13.1291	y	1	187.7	2.1	0.1023	2.1	3.5			
13310−3924	SEE 179	HIP 65936	13.1317	y	2	55.7	0.0	0.1789	0.0	0.4	13.5	−0.005	(Finsen 1964)
13317−0219	HDS1895	HIP 65982	13.1291	y	2	174.4	0.1	0.1037	0.3	1.5	1.9	−0.002	(Hartkopf et al. 2012)
13320−6519	FIN 369	HIP 66005	13.1291	y	2	333.5	0.1	0.0875	0.5	0.5	0.7	0.001	(Docobo & Andrade 2013)
13325−6914	I 298	HIP 66057	13.2383	I	2	156.3	0.5	0.5316	0.5	1.4	3.0	0.039	(Seymour et al. 2002)
13372−6142	I 365AB	HIP 66438	13.1291	y	2	183.4	0.0	0.3385	0.1	0.6	−0.8	−0.008	(Söderhjelm 1999)
13437−4204	FIN 353AB	HIP 66984	13.1317	y	2	51.6	1.1	0.0642	0.4	1.0			
13437−4204	RST1741AC	HIP 66984	13.1317	y	2	74.1	0.9	0.9521	0.7	2.8			
13488−5250	RST2871	HIP 67401	13.1291	I	2	129.2	0.8	2.0278	0.8	3.9 *			
			13.1318	I	2	129.1	0.6	2.0263	0.6	3.9 *			
13501−4451	DON 624AB	HIP 67527	13.1317	y	1	116.6	0.8	1.0517	0.8	2.5 *			
			13.1317	I	2	116.6	0.3	1.0507	0.5	3.1 *			
13513−2423	WSI 77	HIP 67620	13.1317	y	2	5.2	1.1	0.1577	1.1	3.5	−0.7	0.010	(Tokovinin 2012)
			13.1317	I	2	4.6	0.9	0.1566	2.1	3.0	−1.3	0.009	
13520−3137	BU 343	HIP 67696	13.1317	y	2	203.3	0.1	0.6356	0.1	1.1 *	0.1	−0.018	Table 7
13527−1843	WSI 78	HIP 67744	13.1317	y	3	220.6	3.0	0.0234	3.8	1.2	−51.8	0.011	(Hartkopf et al. 2012)
13539−1910	HU 898	HIP 67859	13.1317	y	2	297.1	0.1	0.3499	0.1	0.6	−0.4	0.001	(Docoo & Campo 2012)
13574−6229	FIN 370	HIP 68170	13.1291	y	2	111.7	0.1	0.1552	0.1	0.4	3.7	−0.001	(Mason et al. 2010)
14020−2108	WSI 79	HIP 68552	13.1318	I	2	120.7	0.6	0.1534	0.4	1.6			
14038−6022	RBT 1Aa,Ab	HIP 68702	13.1291	y	2	316.2	6.2	0.0258	1.8	0.3	186.1	−0.004	(Davis et al. 2005)
14038−6022	VOU 31Aa,B	HIP 68702	13.1291	y	2	200.5	2.9	0.4094	0.0	2.4			
14152−6739	DON 652	HIP 69643	13.1292	y	1	275.5	1.6	0.3802	1.6	3.5			
			13.1292	I	2	275.8	2.4	0.3815	2.5	2.8			
14295−3702	HDS2045Aa,Ab	HIP 70868	13.1318	y	2	249.8	0.0	0.0938	1.0	0.3			
14330−4224	HDS2054	HIP 71140	13.1318	y	2	233.6	0.0	0.0435	0.1	0.4			
14373−4608	FIN 318Aa,Ab	HIP 71500	13.1292	y	2	128.0	0.1	0.1915	0.1	0.2	180.2	0.003	Table 7
14383−4954	FIN 371	HIP 71577	13.1292	y	2	50.0	0.2	0.0784	0.1	1.0			
14453−3609	I 528AB	HIP 72140	13.1318	y	2	280.8	0.1	0.0643	0.1	1.5			
14494−6714	DON 680	HIP 72493	13.1292	I	2	243.0	0.1	2.2366	1.2	1.5 *			
14531−4638	I 952	HIP 72821	13.1292	y	2	319.6	0.2	0.7284	0.3	1.5 *	−0.0	0.004	(Rica Romero & Zirm 2011)
14567−6247	FIN 372	HIP 73129	13.1292	y	2	341.5	0.0	0.0987	0.3	0.4	−2.9	−0.003	(Mason et al. 2010)
14575−2125	H N 28Ba,Bb	HIP 73182	13.1318	y	2	209.2	0.1	0.1933	0.3	1.9	−1.0	−0.002	(Forveille et al. 1999)
14581−4852	WSI 80	HIP 73241	13.1292	y	2	113.7	0.7	0.3872	2.9	4.5			
			13.1292	I	2	113.6	1.2	0.3864	1.1	3.2			
15047−5625	RST2937	HD 133044	13.1319	y	2	156.4	0.3	0.0782	0.3	0.6			

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
15143−4242	WSI 82Aa,Ab	HD 135132	13.1318	y	1	56.9	0.0	0.0450	0.0	1.7			
			13.1318	I	2	60.0	0.1	0.0465	0.8	1.3			
15143−4242	B 1273Aa,B	HD 135132	13.1318	y	1	132.2	0.0	0.5650	0.0	0.9			
			13.1318	I	2	131.8	1.6	0.5623	1.7	0.7			
15246−4835	B 1288A B	HIP 75427	13.1319	y	2	78.4	0.5	0.0355	0.2	0.3	67.0	−0.024	(Seymour et al. 2002)
15251−3810	RST2955	HIP 75476	13.1318	y	2	215.5	0.1	0.0826	0.1	0.3			
15339−1700	HDS2185	HIP 76203	13.1319	y	2	139.6	0.2	0.3541	0.2	1.8			
15348−2808	TOK 49Aa,Ab	HIP 76275	13.1319	y	2	239.8	2.5	0.1155	3.2	2.6			
15348−2808	RST1847Aa,B	HIP 76275	13.1319	y	2	335.8	0.5	0.9517	2.5	2.6			
15355−4751	HDS2191	HIP 76328	13.1319	y	2	201.4	0.3	0.2480	0.3	1.0			
15451−3506	SEE 248	HIP 77150	13.1319	y	2	348.0	0.5	0.1481	0.5	3.8			
			13.1319	I	2	348.5	1.0	0.1443	1.8	2.7			
15462−2804	BU 620AB	HIP 77235	13.1319	y	2	353.6	0.0	0.6334	0.1	0.7			
15471−5107	B 1790A,Ba	HD 140662	13.1319	y	2	83.3	2.8	0.4258	3.3	0.9			
			13.1319	I	1	83.6	0.0	0.4276	0.0	0.5			
15471−5107	WSI 78Ba,Bb	HD 140662	13.1319	y	2	221.1	0.1	0.0718	4.5	0.3			
			13.1319	I	1	223.6	0.0	0.0719	0.0	0.3			
15549−3731	B 852	HIP 77931	13.1319	y	1	255.4	1.5	0.9716	1.5	2.8 *			
			13.1319	I	2	255.1	0.4	0.9725	0.4	3.8 *			
17018−5108	I 1306	HIP 83321	13.7469	y	2	195.9	0.2	0.2401	0.1	0.4	−4.4	0.115	(Olevic & Cvetkovic 2004a)
17031−5314	HDS2412Aa,Ab	HIP 83431	13.7469	y	2	182.4	0.6	0.6345	0.4	3.5			
			13.7469	I	2	182.3	0.5	0.6340	0.3	2.8			
17066+0039	BU 823A,Ba	HIP 83716	13.4736	y	1	167.1	0.0	1.0220	0.0	2.1	−3.0	0.003	(Hartkopf & Mason 2000)
			13.4736	I	3	167.1	3.0	1.0240	1.0	1.5	−3.0	0.005	
17066+0039	TOK 52Ba,Bb	HIP 83716	13.4736	y	1	252.3	0.0	0.0454	0.0	0.1	−0.7	−0.003	Table 6
			13.4736	I	3	255.0	0.6	0.0460	3.4	0.1	2.0	−0.000	
17119−0151	LPM 629	HIP 84123	13.4737	I	2	246.6	0.1	0.7697	0.3	0.1 *	−14.9	−0.061	(Söderhjelm 1999)
17130+0745	STT 325	HIP 84230	13.4736	y	2	293.3	0.2	0.3598	0.4	2.0	0.3	0.009	(Rica Romero 2012)
17141−0824	BAR 7	HIP 84303	13.4737	I	2	50.0	0.8	1.4879	0.7	2.1 *	−5.2	−0.131	(Cvetkovic et al. 2008)
17156−1018	BU 957	HIP 84423	13.4737	y	2	164.7	0.1	0.0887	0.5	0.3	−21.0	−0.187	(Heintz 1984)
17157−0949	A 2592A,Ba	HIP 84430	13.4737	y	1	120.6	0.0	0.1617	0.0	1.1	1.7	−0.004	Table 7
			13.4737	I	2	120.1	0.6	0.1630	0.0	1.5	1.2	−0.003	
			13.7470	y	2	117.2	2.6	0.1636	0.3	1.4	0.6	−0.001	
17157−0949	TOK 53Ba,Bb	HIP 84430	13.4737	y	1	174.8	0.0	0.0427	0.0	0.4			
			13.4737	I	2	177.3	0.4	0.0406	0.3	0.4			
			13.7470	y	2	175.1	1.3	0.0387	0.3	0.2			
17195−5004	FIN 356	HIP 84759	13.7469	y	2	237.9	0.0	0.0494	0.2	0.6	184.9	0.001	Table 6
17207−0706	A 2593AB	HIP 84866	13.4737	y	2	347.0	0.1	0.2817	0.1	0.6	2.5	0.023	(Heintz 1986a)
17240−0921	RST3972Aa,Ab	HIP 85141	13.4737	y	2	263.4	0.4	0.2272	0.6	0.6	−2.3	−0.002	(Söderhjelm 1999)
17248−5913	I 385AB	HIP 85216	13.7469	y	2	119.7	0.3	0.3992	5.8	1.7			
17248−5913	WSI 87AD	HIP 85216	13.7469	y	2	271.9	2.7	0.2702	0.1	1.6			
17305−1006	RST3978	HIP 85675	13.4737	y	2	79.4	0.4	0.2518	0.7	2.3			
			13.7470	y	2	79.5	0.3	0.2628	0.3	2.4			
17390+0240	WSI 88	HIP 86374	13.4736	y	2	8.7	0.4	0.1845	0.4	2.7			
17415−5348	HDS2502	HIP 86569	13.7469	I	2	157.4	0.3	0.1601	1.2	0.4			
17461+0532	CHR 157	HIP 86954	13.4736	y	2	34.5	1.4	0.3098	1.0	3.2			
17535−0355	TOK 54	V2610 Oph	13.4737	I	2	129.4	0.2	0.1161	1.1	0.5			
17575−5740	HJ 4992A,Ba	HIP 87914	13.7469	y	2	42.1	0.6	2.5203	7.8	3.9			
			13.7469	I	2	42.1	0.7	2.5136	1.3	1.4			
17575−5740	TOK 55Ba,Bb	HIP 87914	13.7469	y	2	141.2	7.9	0.0572	1.4	0.4			
			13.7469	I	2	144.3	6.1	0.0646	0.5	0.1			
18092−2211	RST3157	HIP 88932	13.7470	y	2	209.2	0.1	0.1156	0.4	1.1	3.1	0.004	(Heintz 1990)
18112−1951	BU 132AB	HIP 89114	13.4737	y	2	188.8	0.4	1.4167	0.6	0.9	1.2	0.019	(Hartkopf & Mason 2011)
			13.7470	y	2	188.2	0.1	1.4182	1.1	1.8 *	0.7	0.020	
18126−7340	TOK 58Aa,Ab	HIP 89234	13.7469	I	3	301.4	2.0	0.1346	4.1	3.3			
			13.7469	y	2	303.4	3.8	0.1300	3.2	4.4			
18126−7340	HDO 284Aa,B	HIP 89234	13.7469	I	3	270.1	5.4	2.1804	4.9	4.0			
			13.7469	y	2	270.0	5.4	2.1835	12.7	6.1			
18141−1912	CHR 234Aa,Ab	HD 167034	13.4737	I	2	60.0	1.1	0.1972	1.4	0.9 :			
18150−5018	I 429	HD 166839	13.7469	y	2	342.4	1.1	0.0329	0.7	0.6			
18152−2023	CHR 255Aa,Ab	HIP 89440	13.7470	y	2	155.7	0.1	0.0808	0.1	0.4			
18152−2044	TOK 59	HIP 89439	13.7470	y	2	76.6	1.4	1.2767	1.4	5.6			
			13.7470	I	2	76.6	2.0	1.2755	2.0	5.4			
18171−4336	HDS2583	HIP 89599	13.7470	y	2	81.2	0.2	0.0460	0.6	0.9			

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	[O−C]$_\theta$ (deg)	[O−C]$_\rho$ ($''$)	Reference code*
18177−1940	BU 246A,Ba	HIP 89647	13.4737	y	1	117.1	0.0	0.5193	0.0	1.3 :			
			13.4737	I	1	117.4	0.0	0.5115	0.0	1.1 :			
			13.7470	y	2	116.2	0.3	0.5166	0.8	0.6			
18177−1940	WSI 89Ba,Bb	HIP 89647	13.4737	y	1	347.3	0.0	0.0475	0.0	0.9 :			
			13.4737	I	1	353.2	0.0	0.0505	0.0	0.9 :			
			13.7470	y	2	351.7	1.2	0.0554	1.0	1.1			
18190−4759	B 936	HIP 89752	13.7469	I	3	347.4	0.1	0.3040	0.2	0.5			
18250−0135	AC 11	HIP 90253	13.4737	y	2	355.2	0.2	0.9077	0.7	0.4 *	0.7	0.090	(Heintz 1995)
18289−2503	H N 125	HIP 90574	13.4738	I	2	107.2	1.3	2.5229	0.2	0.1 *			
18323−1439	CHR 73	HIP 90884	13.4737	y	2	226.2	0.8	0.0556	0.2	1.8	60.8	0.022	(Olevic & Cvetkovic 2005)
			13.7471	y	2	218.6	0.8	0.0587	0.1	1.7	87.1	0.025	
18329−7358	HDS2631	HIP 90930	13.7470	y	2	78.9	0.9	0.5395	0.9	4.4			
			13.7470	I	2	79.0	3.1	0.5403	1.5	4.7			
18331−1042	HDS2632	HIP 90943	13.4737	y	1	18.8	3.6	0.5127	3.6	4.4			
			13.4737	I	2	18.6	1.6	0.5123	0.6	2.8			
18368−2617	RST3187	HIP 91253	13.4738	I	2	85.4	0.3	0.0779	1.4	0.3			
			13.7470	y	2	92.8	0.2	0.0685	0.1	1.0			
18434−5546	B 398AB	HIP 91837	13.7469	y	2	3.5	0.2	0.1675	0.3	1.5	−39.2	0.088	(Heintz 1978b)
18439−0649	YSC 133	HIP 91880	13.7471	y	2	259.2	0.1	0.0593	0.3	0.7			
18448−2501	CHR 78	HIP 91974	13.7470	y	2	191.9	1.4	0.0532	1.1	3.1 :			
18448−3323	OL 20	HIP 91978	13.7470	y	2	259.0	0.1	0.1145	0.1	0.8			
18480−1009	HDS2665	HIP 92250	13.4737	I	2	81.2	0.5	0.3939	0.7	2.2			
18490−0828	HDS2666Aa,Ab	HIP 92322	13.7471	y	1	257.7	0.1	0.1761	0.1	1.2			
18516−6054	RST5126	HIP 92547	13.7469	y	2	243.2	0.3	0.0691	0.2	1.4			
18520−5418	TOK 325Aa,Ab	HIP 92592	13.7469	y	2	292.6	0.9	0.1232	1.5	2.9			
18531−2745	I 1031	HD 17472	13.7470	y	2	341.9	0.2	0.3865	0.1	1.8			
18567−5102	RST5456	HIP 92991	13.7469	y	2	322.3	0.2	0.1860	0.3	1.1			
19026−2953	HDO 150AB	HIP 93506	13.4739	y	2	266.5	0.1	0.5045	0.1	0.4	1.6	−0.001	(DeRosa et al. 2012)
19155−2515	B 430	HIP 94643	13.4739	y	2	271.2	0.1	0.0344	0.2	0.4	−10.6	−0.023	(Hartkopf & Mason 2001b)
19253−2431	FIN 327	HIP 95477	13.4739	y	4	86.9	0.7	0.0522	1.0	0.6 :	0.7	0.011	(Mason & Hartkopf 1999)
20104−1923	HDS2873	HIP 99391	12.9229	I	2	210.2	1.7	0.1183	3.5	2.5			
			12.9229	y	2	207.9	1.5	0.1147	0.6	2.8			
			13.7363	I	1	203.3	0.1	0.0862	0.1	2.2			
			13.7363	y	2	206.4	0.7	0.0912	0.3	3.4			
20111−5731	HDO 295	HIP 99453	13.7362	y	2	287.0	0.1	0.3626	0.2	1.3			
20181−1036	HDS2899	HIP 100065	13.7363	y	2	235.9	0.4	0.2746	0.6	3.0			
20202−3435	I 1416	HIP 100266	12.9229	y	2	119.1	0.1	0.2324	0.3	1.2	−51.3	0.216	(van den Bos 1961)
			13.7362	I	2	118.1	0.2	0.2173	0.2	1.1	−3.5	0.175	
			13.7362	y	1	118.1	0.1	0.2173	0.1	1.2	−3.5	0.175	
20217−3637	HDS2908	HIP 100417	12.9229	y	2	102.4	0.2	0.1457	0.5	0.4			
			12.9229	I	2	102.1	0.2	0.1453	0.1	0.2			
			13.7362	y	2	104.2	0.3	0.1572	0.1	0.6			
20239−4225	BU 763AB	HIP 100591	12.9229	y	2	341.8	0.2	0.3082	0.0	1.1	2.7	−0.047	(Seymour et al. 2002)
			13.7362	y	2	344.5	0.0	0.3264	0.0	1.1	3.2	−0.038	
20248−1943	HDS2919	HIP 100685	12.9229	I	2	106.5	0.3	0.2403	0.9	0.8			
			13.7363	I	2	111.3	0.3	0.2132	0.1	0.7			
20269−3724	R 321	HIP 100852	13.7362	y	2	126.0	0.1	1.5667	2.1	1.9 *	1.3	0.001	([Heintz 1988)
20289−1749	SHJ 323AB	HIP 101027	13.4740	y	2	191.4	0.3	1.5885	0.3	1.9 *	2.3	−0.126	(Heintz 1986b)
20311−1503	FIN 336	HIP 101221	13.4740	y	2	133.2	0.6	0.1480	1.7	1.1 :	−1.5	0.002	(Mason et al. 2010)
20372−4445	TOK 369	HIP 101726	13.7362	I	2	230.1	1.4	0.4943	1.4	4.3			
20401−2852	SEE 423AB	HD 196718	12.9229	I	3	39.0	6.0	1.1747	5.2	1.4			
			13.7362	I	2	39.5	1.9	1.1782	4.9	1.5			
20401−2852	SEE 423BC	HD 196718	12.9229	I	3	282.3	7.9	0.2041	8.1	0.3			
			13.7362	I	2	283.1	8.4	0.2057	0.3	0.2			
20406−2639	CHR 186	HIP 102032	13.7362	y	2	131.1	0.1	0.0350	0.7	0.8			
20462−2145	HDS2957	HIP 102486	13.7363	I	2	146.2	0.2	0.3651	0.2	2.2			
20527−0859	MCA 64Aa,Ab	HIP 103045	13.7363	y	2	141.1	0.0	0.0377	0.0	0.5			
20562−3146	B 1001	HD 1991147	12.9229	I	2	215.3	0.5	0.2659	0.5	0.7	79.0	−0.027	(Seymour et al. 2002)
21073−5702	HDS3009	HIP 104256	12.9230	I	2	143.9	0.4	0.1995	0.4	1.6			
			12.9230	y	1	144.5	0.5	0.2005	0.5	2.4			
21074−0814	BU 368AB	HIP 104272	13.7363	y	2	109.7	0.1	0.0901	0.1	1.0	12.9	−0.158	(Olevic & Cvetkovic 2004b)
21099−2424	HDS3015	HIP 104476	12.9230	I	2	135.1	0.1	0.0998	1.5	0.5			
			12.9230	y	1	135.1	0.1	0.0986	0.1	0.7			
			13.7363	y	2	155.9	0.2	0.0548	0.1	1.0			

TABLE 2—*Continued*

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	N	θ (deg)	$\rho\sigma_\theta$ (mas)	ρ ($''$)	$\sigma\rho$ (mas)	Δm (mag)	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference code*
21198−2621	BU 271AB	HIP 105312	12.9230	y	2	316.2	0.3	0.7158	0.3	3.2	−0.5	0.001	Table 7
			13.7363	y	2	321.3	0.3	0.6799	0.6	3.2	−0.5	0.012	
21200−2718	BU 252	HIP 105324	13.7363	y	1	88.6	0.2	2.1271	0.2	0.1 *			
			13.7363	I	1	88.6	0.1	2.1299	0.1	0.1 *			
21247−0420	HDS3050	HIP 105715	13.7363	y	2	304.0	0.4	0.1473	0.4	1.6			
21274−0701	HDS3053	HIP 105947	13.7363	y	2	225.8	0.4	0.0850	1.1	1.9	−19.7	0.016	(Mason et al. 2010)
21310−3633	B 1008AB	HIP 106224	12.9230	y	2	14.6	0.1	0.0985	0.3	0.5			
			13.7363	y	2	10.2	0.2	0.0796	0.5	1.5			
21368−3043	VOU 35AB	HIP 106701	12.9230	y	2	144.0	0.1	0.1469	0.1	0.5	−0.6	0.003	Table 6
			13.7363	I	3	140.3	1.4	0.1562	4.7	0.9	0.6	−0.001	
21368−3043	TOK 386AC	HIP 106701	13.7363	I	3	53.5	8.9	0.4506	11.4	4.1			
21477−3054	FIN 330AB	HIP 107608	12.9230	y	2	33.0	0.2	0.1522	0.1	0.3	0.3	−0.004	(Docobo & Andrade 2013)
21504−5818	HDS3109	HIP 107806	12.9230	y	2	139.2	0.5	0.0372	0.3	0.3			
			12.9230	V	2	131.8	0.3	0.0371	1.0	0.0			
21579−5500	FIN 307	HIP 108431	12.9230	V	2	289.5	0.2	0.1268	0.1	0.6	5.3	−0.005	(Docobo & Andrade 2013)
22006−1410	TOK 215	HIP 108649	13.7364	I	2	36.6	6.1	0.1773	7.1	4.4 :			
22061−0521	TOK 373	HIP 109110	13.7364	I	2	45.4	0.3	0.1129	1.8	2.5			
			13.7364	y	2	45.7	1.1	0.1165	2.6	3.7			
22116−3428	CHR 230Aa,Ab	HIP 109561	13.7364	y	1	229.6	0.0	0.0268	0.0	2.3			
22116−3428	BU 769Aa,B	HIP 109561	12.9230	y	2	355.6	0.5	0.8591	0.1	1.0 *			
			13.7364	y	1	355.8	0.0	0.8585	0.0	1.2			
22134−3729	B 2056	HD 210767	13.7364	y	2	174.4	0.1	0.1778	0.1	1.6	2.0	0.006	(Hartkopf & Harshaw 2013b)
22152−0535	A 2599AB	HIP 109874	13.7364	y	2	280.3	0.2	0.6992	0.2	2.3			
22156−4121	CHR 187	HIP 109908	13.7364	y	2	102.0	0.1	0.1194	0.1	2.0			
22181−0014	CHR 107	HIP 110091	13.7364	y	2	261.7	0.5	0.0216	1.2	1.3 :			
22183−5338	HDO 298	HIP 110109	12.9230	I	2	47.2	1.1	1.9668	0.6	3.6 *			
22228−2937	HDS3172	HIP 110483	12.9231	I	2	337.1	0.2	0.1727	0.3	1.7			
			12.9231	V	2	336.8	0.8	0.1734	0.5	2.6			
			13.7364	y	2	335.0	0.4	0.1714	0.6	2.5			
22240+0612	RAO 27Aa,Ab	HIP 110574	13.7365	y	2	320.1	1.1	0.0407	0.7	1.3			
22288−0001	EBE 1Aa,Ab	HIP 110960	12.9229	I	2	200.4	5.3	0.5838	11.7	5.4			
			13.7364	I	2	202.2	0.5	0.6213	0.2	5.5			
22288−0001	STF2909Aa,B	HIP 110960	12.9229	I	2	166.2	2.8	2.2485	12.1	1.1	−1.3	0.048	(Scardia et al. 2010)
			13.7364	y	1	165.7	0.0	2.2710	0.0	0.2 *	−0.7	0.053	
			13.7364	I	2	165.7	0.2	2.2802	1.9	1.3	−0.7	0.062	
22443−6030	HDS3227	HIP 112259	12.9230	y	3	255.3	0.3	0.0266	2.1	0.6			
			12.9230	V	1	254.7	0.0	0.0267	0.0	0.6			
22475−6928	HDS3236	HIP 112525	13.7366	y	2	295.7	0.1	0.2335	0.1	0.8			
22508−6543	HDS3246	HIP 112816	12.9230	y	1	270.3	0.9	0.1611	0.9	3.3			
			12.9230	I	2	270.6	0.2	0.1636	0.6	2.3			
			13.7366	y	1	268.6	1.0	0.1079	1.0	3.5			
			13.7366	I	2	269.0	0.8	0.1099	0.6	2.3			
22519−4647	I 683	HIP 112908	12.9230	I	2	350.8	0.5	1.9533	0.1	0.2 *			
22532−3750	HDS3250Aa,Ab	HIP 113010	12.9231	I	2	37.8	5.5	0.1131	5.1	3.1			
22532−3750	B 2504Aa,B	HIP 113010	12.9231	I	2	278.0	12.2	2.7196	4.3	3.7			
22553−4828	I 22AB	HIP 113191	12.9230	y	2	176.0	0.1	0.5234	0.2	0.5			
23067−2345	HDS3293Aa,Ab	HIP 114119	13.7365	y	2	345.2	0.1	0.2043	0.3	2.2			
23099−2227	RST3320	HIP 114375	13.7365	y	2	112.8	0.0	0.2118	0.1	1.1	−0.1	−0.005	(Hartkopf & Mason 2010)
23100−4252	DON1042	HIP 114382	12.9231	I	2	301.4	0.4	0.6807	0.2	2.7 *	180.4	0.004	Table 6
			12.9231	y	2	301.4	0.5	0.6813	0.2	3.1 *	180.4	0.005	
			13.7366	y	2	304.0	0.2	0.6933	0.4	3.2	180.9	0.007	
23171−1349	BU 182AB	HIP 114962	13.7365	y	2	227.6	0.1	0.7690	0.1	1.1	1.8	0.281	(Heintz 1991)
23393−2155	HDS3361	HIP 116721	13.7365	I	2	268.1	0.4	0.4880	0.5	2.8			
23464−2302	TOK 375	HIP 117247	13.7365	I	2	295.8	0.9	0.1772	1.9	3.7			
23466−0900	TOK 220	HIP 117258	13.7365	I	2	21.0	0.5	0.2099	0.5	3.3			
23474−7118	FIN 375Aa,Ab	HIP 117326	12.9231	y	2	244.0	0.8	0.1215	0.6	2.4	0.0	0.001	Table 7
			13.7366	y	2	248.2	0.2	0.1203	0.7	2.4	0.9	−0.000	
23568+0444	A 2100	HIP 118054	13.7365	y	2	259.5	0.2	0.3888	0.1	1.2	0.3	0.006	(Mason & Hartkopf 2012)
23586−1408	RST4136AB	HIP 118205	13.7365	y	2	200.8	0.1	0.1900	0.1	1.0	0.2	−0.009	(Docobo & Campo 2011)

Table 3
Unresolved stars

WDS (2000)	Discoverer Designation or other name	Hipparcos or other name	Epoch +2000	Filter	N	5σ Detection Limit $\Delta m(0''.15)$ (mag)	$\Delta m(1'')$ (mag)
00219−2300	RST5493BC	HIP 1732	12.9231	y	2	4.91	6.54
00490+1656	HIP 3810	HIP 3810	13.7367	I	1	4.22	5.57
			13.7367	y	2	4.94	6.26
01144−0755	WSI 70Aa,Ab	HIP 5799	12.9232	I	1	3.88	6.12
01496−4646	TOK 184	HIP 8498	13.7368	y	1	4.71	5.25
02128−0224	TOK 39Aa,Ab	HIP 10305	12.9205	y	2	4.47	6.88
02136−0849	TOK 361	HIP 10365	13.7367	y	1	3.88	4.71
			13.7367	I	2	3.12	4.59
02321−1515	TOK 382Aa,Ab	HIP 11783	13.7478	y	1	3.92	4.47
02449+1007	TOK 1Aa,Ab	HIP 12828	12.9232	y	2	5.00	6.60
02568−3609	HDS 378Aa,Ab	HIP 13725	12.9233	I	2	3.52	4.89
03099−0654	TOK 188	HIP 14699	12.9205	V	1	2.83	3.61
03182−6230	BNU 2Aa,Ab	HIP 15371	12.9232	y	2	4.72	6.88
03244−1539	A 2909AB	HIP 15868	12.9233	y	2	4.61	5.94
03309−6200	TOK 190	HIP 16370	12.9232	y	1	4.48	6.16
03442−6448	TOK 191Aa,Ab	HIP 17440	12.9232	y	2	4.80	7.32
			13.7368	y	2	5.44	6.79
04044−1014	HIP 19016	HIP 19016	13.7369	I	2	4.50	6.24
04053+2201	CHR 158Aa,Ab	HIP 19076	13.7369	y	2	5.00	6.57
04345+1001	HIP 21308	HIP 21308	13.1310	I	2	3.23	4.22
04583+0027	HIP 23105	HIP 23105	13.1310	y	2	4.54	5.32
05017+2640	BAG 21Ca,Cb	HIP 23402	13.1310	y	1	3.35	3.63
05066−7734	HIP 23776	HIP 23776	13.1283	y	2	4.03	5.03
05074+1839	A 3010	HIP 23835	12.9206	y	2	4.89	6.95
			13.1310	y	2	4.97	6.51
			13.7370	y	2	5.21	6.68
05229−4219	TOK 93Aa,Ab	HIP 25148	12.8335	y	2	3.76	4.47
			13.1283	I	2	3.35	4.45
			13.1283	V	1	3.67	4.18
			13.7369	I	2	4.44	5.72
			13.7369	y	2	4.45	5.03
05271−1154	HIP 25486	HIP 25486	13.1311	y	2	4.73	6.95
05402+1211	RAS 1	HIP 26676	12.9206	I	3	2.66	3.48
05498−7225	TOK 363	HIP 27531	13.1283	I	2	2.63	3.02
06033−1603	HIP28678	HIP 28678	12.9207	y	2	4.48	5.72
			12.9207	I	2	2.99	5.20
06048−4828	DUN 23	HIP 28796	13.1312	y	2	4.66	5.54
06127−4338	HIP 29479	HIP 29479	13.7370	I	2	4.28	5.97
06290+2013	BTZ 1Aa,Ab	HIP 30883	12.9207	I	2	3.48	4.56
			12.9207	y	1	4.61	6.05
			13.1310	y	2	4.86	5.97
			13.1310	I	1	3.14	4.59
06336−3939	HIP 31280	HIP 31280	13.1312	y	2	4.66	5.66
			13.1312	I	1	3.85	5.84
06371−3214	HIP 31623	HIP 31623	13.1312	y	2	4.73	6.04
07345−5258	HIP36832	HIP 36832	12.8335	y	2	4.43	5.26
			12.8335	I	2	3.43	5.39
07383−2522	B 731	HIP 37173	12.9208	y	2	4.84	7.42
			13.1313	y	2	5.29	7.57
07387−3144	HIP 37224	HIP 37224	13.1313	y	1	4.69	5.55
			13.1313	I	2	4.28	6.08
07430−4511	WSI 99	HIP 37606	12.8335	y	2	5.23	6.93
			13.1312	y	2	4.82	6.69
07522−4035	TOK 195	HIP 38414	13.1313	y	2	5.13	7.30
08095−4720	TOK 2Aa,Ab	HIP 39953	12.9209	y	2	5.16	7.50
			13.1287	y	2	4.59	7.13
08151−0655	MET 52	HIP 40419	12.9209	y	2	4.05	4.94
08228−2621	B 767AB	HIP 41074	12.9209	y	2	5.07	6.90
			12.9209	I	1	3.91	6.27
			13.1314	y	2	5.14	7.37
08246−0109	B 2527AB	HIP 41209	12.9209	y	2	4.61	5.77
			12.9209	I	1	3.40	5.58
			13.1285	I	2	4.15	4.92
08246−0345	CHR 172Aa,Ab	HIP 41211	12.9209	y	2	4.80	6.52
			13.1285	y	2	4.75	6.39
08326−1502	B 2528	HIP 41893	12.9209	y	2	4.83	6.46
			13.1314	y	2	4.63	6.60
08388−0557	HIP 42408	HIP 42408	13.1285	y	1	3.96	4.48
			13.1285	I	2	3.67	4.81
			13.1285	R	2	4.15	5.17
08397+0546	HIP 42488B	HIP 42491	13.1286	I	1	3.38	4.28
			13.1286	V	2	4.04	4.73
08398−6604	HDS1245	HIP 42496	12.9208	I	2	2.59	3.53
			12.9208	y	1	3.08	3.58
09125−4337	FIN 317Aa,Ab	HIP 45189	13.1315	y	2	5.08	7.00
09191−4128	CHR 239	HIP 45705	13.0796	y	2	3.84	5.04
09276−3500	B 2215	HIP 46396	13.0796	y	2	4.45	6.07
09306−4736	HIP 46631	HIP 46631	13.2380	I	3	4.27	5.86
09380−5924	HIP 47263	HIP 47263	13.2380	y	2	4.73	5.47
			13.2380	I	2	4.15	5.58
09416−3830	TOK 198	HIP 47543	13.0796	y	2	3.95	4.79
			13.1315	y	1	4.80	5.92
09518−5053	DX Vel	DX Vel	13.1287	I	2	2.39	2.98
10066−1919	HIP 49520	HIP 49520	13.1289	I	2	3.89	6.04

TABLE 3—*Continued*

WDS (2000)	Discoverer Designation or other name	Hipparcos or other name	Epoch +2000	Filter	N	5σ Detection Limit $\Delta m(0''.15)$ (mag)	$\Delta m(1'')$ (mag)
10232+0542	TOK 200Aa,Ab	HIP 50870	13.1316	I	2	1.60	3.84
			13.1316	y	2	4.26	5.76
11014−1204	HDS1572	HIP 53879	13.2381	y	4	4.81	5.79
11056−1105	TOK 221	HIP 54214	13.2381	y	1	4.82	6.79
11121−2120	HIP 54707	HIP 54707	13.2380	y	1	4.70	5.78
			13.2380	I	2	4.09	5.83
11238−3829	CHR 241	HIP 55628	13.2380	y	2	4.77	6.14
			13.2380	I	2	4.19	5.84
11284+0247	HIP 55982	HIP 55982	13.1290	y	1	4.59	6.11
			13.1290	I	2	3.16	5.33
			13.2381	I	2	4.12	5.65
11317+1422	WSI 101Aa,Ab	HIP 56242	13.1290	y	2	4.19	6.39
11323−0025	HIP 56282	HIP 56282	13.2381	I	4	4.10	5.38
			13.2381	y	1	4.37	4.99
11414−4101	HIP 57021	HIP 57021	13.2380	y	2	5.09	6.50
11510−0520	MCA 36	HIP 57791	13.2381	y	2	5.24	6.70
			13.2381	I	2	3.91	6.44
12073−6441	HIP 59111	HIP 59111	13.1318	y	2	4.63	6.05
12532−0333	CHR 38	HIP 62875	13.1290	y	2	4.78	7.13
			13.1290	I	1	3.74	5.72
13143−5906	FIN 205	HIP 64583	13.1291	I	2	4.88	6.01
13254−5947	WSI 76	HIP 65492	13.1291	y	1	3.35	3.96
13393−6740	HIP 66618	HIP 66618	13.1291	y	2	4.43	5.48
13517−5726	HIP 67655	HIP 67655	13.1318	I	2	3.56	5.58
14282−2929	FIN 306AB	HIP 70753	13.1318	y	2	5.02	7.44
14292−2907	HIP 70839	HIP 70839	13.1318	y	1	5.00	6.99
			13.1318	I	1	3.96	6.08
14485−3551	B 2024AB	HIP 72427	13.1318	y	2	5.16	7.24
			13.1318	I	1	3.88	6.21
14598−2201	TOK 47	HIP 73385	13.1318	y	3	4.71	6.24
15006+0836	YSC 8	HIP 73449	13.1319	y	2	4.20	5.35
			13.1319	I	1	2.83	4.53
			13.1319	y	2	4.20	5.35
15317+0053	TOK 48	HIP 76031	13.1319	y	2	4.36	5.50
15362−3306	FIN 231	HIP 76395	13.1319	y	2	5.20	7.41
15384−1955	CHR 48	HIP 76582	13.1319	y	1	5.03	6.98
15453−5841	FIN 234AB	HIP 77160	13.1319	y	3	4.57	5.74
15467−3441	B 847	HIP 77286	13.1319	y	2	5.20	7.58
15467−4314	I 1276	HIP 77282	13.1319	I	2	4.37	6.09
17162+0211	CHR 61	HIP 84479	13.4736	y	2	5.01	6.53
17200−0801	CHR 151Aa,Ab	HIP 84803	13.4737	y	2	4.53	5.79
17390+0240	WSI 88	HIP 91438	13.7470	y	2	5.13	7.01
18174−2817	HIP 89620	HIP 89620	13.4738	I	2	3.25	4.22
18218−1619	CHR 69	HIP 90001	13.7470	y	2	4.90	5.93
18389−2103	WSI 90	HIP 91438	13.4738	y	2	4.00	4.80
			13.4738	I	3	3.92	5.61
18501−0823	HDS2670	HIP 92423	13.7471	y	2	4.52	5.58
18530−0935	CHR 81	HIP 92674	13.4737	y	2	4.94	6.78
19098−2101	FIN 311AB	HIP 94141	13.4739	y	2	4.80	6.89
20224−5630	FIN 276	HIP 100462	13.7362	y	1	4.15	5.02
			13.7362	I	3	4.15	5.66
20254−2840	CHR 97	HIP 100738	13.4740	y	2	4.90	5.86
20273−1813	CHR 184Aa,Ab	HIP 100881	13.4740	y	2	4.72	6.50
20441−4446	HIP 102338	HIP 102338	13.7362	I	2	4.15	5.67
20531−1134	CHR 101	HIP 103077	13.7363	y	1	4.95	6.85
			13.7363	I	2	4.00	6.42
20568−2618	GJ 811	HIP 103389	13.4740	I	2	3.82	5.39
			13.4740	y	3	4.75	6.47
			13.7362	y	2	5.16	7.21
			13.7362	I	1	4.56	6.85
21265−3111	TOK 372	HIP 105872	13.7363	I	4	3.88	5.33
21378−0751	MCA 68	HIP 106786	13.7363	y	2	5.03	6.78
22006−1410	TOK 215	HIP 108649	13.7364	y	1	4.94	6.02
22181−0014	CHR 107	HIP 110091	12.9229	y	2	4.62	6.53
22313−0633	CHR 111	HIP 111170	13.7364	I	2	4.22	6.34
			13.7365	y	2	5.08	6.66
22443−6030	HDS3227	HIP 112259	13.7366	y	2	4.99	6.19
22553−4828	B 2506CD	HIP 113190	12.9230	I	1	3.91	5.87
			12.9230	y	2	4.87	6.76
22583−0224	CHR 116	HIP 113421	13.7365	y	2	5.12	6.60
23086−6352	B 590	HIP 114269	12.9231	y	1	4.51	6.00
23114−4259	B 594	HD 218812	12.9231	I	1	3.89	5.92
			12.9231	y	2	4.54	5.53
			13.7366	y	1	4.65	5.33
			13.7366	I	2	4.16	6.50
23157+0118	CHR 141	HIP 114834	13.7365	y	2	4.99	6.16
			13.7365	I	2	4.22	6.10
23162−5947	TOK 217	HIP 114880	12.9231	I	2	3.48	5.53
			12.9231	y	1	4.43	5.50
23307−2412	HIP 116033	HIP 116033	13.7365	y	2	5.04	6.35
			13.7365	I	1	4.41	6.52
23318−2115	TOK 219	HIP 116125	13.7365	I	2	4.19	6.21
23438−1517	HEG 2AB	HIP 117054	13.7365	I	2	4.07	5.83
23444−7029	WSI 94	HIP 117105	12.9231	y	2	4.60	6.34

TABLE 3—*Continued*

WDS (2000)	Discoverer Designation or other name	Hipparcos or other name	Epoch +2000	Filter	N	5σ Detection Limit $\Delta m(0\farcs15)$ (mag)	$\Delta m(1'')$ (mag)
			13.7366	y	2	5.07	6.57
23492+0459	TOK 376	HIP 117475	13.7365	I	2	4.05	5.02
			13.7365	y	1	4.41	5.02

TABLE 4

NEW PAIRS

WDS (2000)	Discoverer Designation	Other name	Epoch +2000	Filt	θ (deg)	ρ ($''$)	Δm (mag)
02321−1515	TOK 382Aa,Ab	HIP 11783	13.7478	I	341.8	0.2101	4.0
04007+2023	TOK 363Aa,Ab	HIP 18719	13.7369	y	95.7	0.1023	5.2
07435+0329	TOK 355Aa,Ab	HIP 37645	13.1285	y	330.2	0.2078	3.7
08391−5557	TOK 356BC	HIP 42424	13.1287	y	309.4	0.0861	2.7
09086−2550	TOK 357BC	HIP 44874	13.1314	I	219.2	0.1258	0.9
09383+0150	TOK 358	HIP 47292	13.1286	y	344.4	0.4533	3.7
11192−1950	TOK 383Aa,Ab	HD 98412	13.2380	y	25.8	0.0518	0.3
11420−1701	TOK 384Aa,Ab	HIP 57078	13.2381	y	128.5	0.1467	3.6
11420−1701	TOK 384Aa,B	HIP 57078	13.2381	I	95.0	1.1089	5.3
12509−5743	TOK 385	HIP 62699	13.2382	I	112.9	0.1868	3.6
21368−3043	TOK 386AC	HIP 106701	13.7363	I	53.5	0.4506	4.1
21368−3043	TOK 386AD	HIP 106701	00.5622	J	234.0	11.21	2.9

TABLE 5

LIKELY SPURIOUS BINARIES

WDS (2000)	Discoverer Designation	Last measure	SOAR dates	$N_{\rm UR}$
03182−6230	BNU 2Aa,Ab	1978	2008–2012	3
07383−2522	B 731	1966	2009–2013	5
08246−0109	B 2527AB	1961	2010–2013	3
08246−0345	CHR 172Aa,Ab	1988	2011–2013	3
08326−1502	B 2528	1942	2009–2013	4
23114−4259	B 594	1963	2008–2012	3

TABLE 6
FIRST ORBITAL ELEMENTS

WDS (Figure)	Discoverer Designation	P (yr)	$T_\circ$ (yr)	e	Ω (◦)	a ($''$)	i (◦)	ω (◦)	Gr.	$\pi_{\rm HIP}$ (mas)	$\Sigma\mathcal{M}$ $\mathcal{M}_\odot$
02022−2402	TOK 41 Ba,Bb	13.88	2006.3	0.09	134.4	0.099	154.2	232.1	3	16.1	1.2
(3)		±4.37	±3.3	±0.15	±17	±0.024	±23	±121			
02572−2458	BEU 4 Ca,Cb	1.519	2007.103	0.558	89.5	0.060	179.6	250.6	1	39.9	1.5
(4)		*	±0.018	*	±3.1	±0.005	*	*			
04008+0505	A 1937	41.90	2014.1	0.699	185	0.096	41	38	2	5.4	3.2
(5)		±0.57	±27.0	±0.038	±23	±0.002	±143	±32			
04215−2055	B 1935 AB	21.22	2002.16	0.505	239.5	0.234	155.2	310.9	5	25.9	1.6
(6)		±0.19	±0.22	±0.028	±19.1	±0.006	±4.8	±20.0			
05072−1924	FIN 376	3.889	2007.269	0.475	49.8	0.085	91.3	203.7	2	26.0	2.3
(7)		±0.006	±0.015	±0.010	±0.5	±0.001	±0.9	±1.4			
07478−0332	RST 4375	80.82	1998.17	0.653	110.5	0.200	117.1	65.3	5	5.7	6.5
(8)		±6.45	±1.12	±0.026	±4.2	±0.007	±2.4	±3.1			
09191−4128	CHR 239	10.86	2013.51	0.394	152.6	0.122	147.0	260.1	3	20.8	1.7
(9)		±0.02	±0.02	±0.006	±2.3	±0.001	±1.3	±1.9			
11514+1148	HDS 1672	53.79	2007.07	0.659	175.3	0.361	47.0	156.9	4	19.0	2.4
(10)		±11.28	±0.31	±0.053	±6.9	±0.045	±3.4	±8.0			
11525−1408	HDS 1676	16.36	2000.45	0.643	313.1	0.134	42.8	327.3	4	15.6	2.4
(11)		±2.60	±2.32	±0.167	±30.4	±0.017	±8.9	±44.6			
12485−1543	WSI 74 Aa,Ab	2.687	2011.179	0.500	152.1	0.080	51.0	147.0	3	42.0	1.0
(12)		±0.008	±0.020	±0.020	±3.1	±0.004	±4.1	±2.4			
17066+0039	TOK 52 Ba,Bb	7.00	2012.94	0.430	56.7	0.069	13.7	130.0	4	17.3	1.3
(13)		±0.70	±0.10	±0.032	±111	±0.004	±16	±119			
21368−3043	VOU 35 AB	19.819	2003.751	0.50	114.0	0.145	114.3	130.0	3	16.1	1.0
(14)		±0.010	±0.093	±0.00	±1.4	±0.002	±1.0	±0.0			
23100−4252	DON1042	100.9	1995.1	0.626	249	0.779	44.4	105.6	5	29.9	1.7
(15)		±4.0	±4.9	±0.125	±22	±0.133	±13.8	±15.2			

Table 7

Revised Orbital Elements

WDS	Discoverer Designation	P (yr)	$T_\circ$ (yr)	e	Ω (○)	a ($''$)	i (○)	ω (○)	Gr.	Published Orbit Reference
01071−0036	HDS 144 AB	72.6	2073.1	0.237	281.9	0.365	138.2	30.	4	Cvetkovic (2011)
04107−0452	A 2801	20.42	1952.61	0.887	156.6	0.194	71.5	70.4	2	Baize (1986)
		±0.12	±0.36	±0.031	±3.5	±0.018	±2.2	±3.8		
04258+1800	COU2682	54.8	1955.6	0.163	328.5	0.348	68.7	11.6	4	Docobo & Tamazian (2007)
05059−1355	A 3009	284	1957.2	0.237	244.9	1.283	40.1	294.1	5	Erceg (1985)
05135+0158	STT 517 AB	987.	1925.3	0.935	138.	0.77	18.	304.	4	Mason et al. (2009)
05164−0139	A 844	168.8	1997.4	0.160	191.7	0.234	50.1	337.1	3	Hartkopf & Mason (2001a)
		±12.6	±6.6	±0.033	±3.1	±0.006	±3.4	±15.5		
05165−2106	DON 97	258.0	1952.8	0.264	165.4	0.457	133.8	205.7	4	Seymour et al. (2002)
05320−0018	HEI 42 Aa,Ab	346.	1964.8	0.812	148.4	0.423	107.	260.	4	Mason et al. (2009)
05525−0217	HDS 787	11.768	2000.01	0.238	153.5	0.120	53.4	274.5	3	Mason et al. (2010)
		±0.058	±0.07	±0.010	±1.7	±0.002	±1.9	±3.1		
06003−3102	HU 1399 AB	67.45	1997.85	0.516	126.7	0.946	101.2	278.5	2	Tokovinin et al. (2005)
		±0.14	±0.17	±0.013	±0.5	±0.010	±0.4	±0.5		
06003−3102	TOK 9 CE	22.95	2016.50	0.186	146.6	0.441	97.8	193.	3	Hartkopf et al. (2012)
		±3.21	±0.70	±0.094	±0.9	±0.031	±1.0	±19.		
06048−4828	DUN 23	915.	2005.	0.427	121.4	4.578	63.6	2.0	5	Scardia (2001)
06122−3645	RST 4800	174.	2002.9	0.505	191.0	0.275	131.3	248.4	4	Seymour et al. (2002)
06253+0130	FIN 343	69.7	2020.0	0.441	234.	0.131	156.5	53.	3	Docobo & Andrade (2013)
		±5.1	±1.8	±0.050	±28.	±0.004	±8.4	±23.		
06545−2734	B 706	262.	1945.8	0.734	90.0	0.675	66.9	68.4	4	Dommanget (1979)
07015−0942	A 3042 AB	99.3	2007.57	0.621	223.7	0.290	54.0	113.1	3	Olevic & Jovanovic (2001)
		±2.3	±0.27	±0.013	±2.4	±0.007	±2.5	±3.3		
07043−0303	A 519	46.68	2015.47	0.661	99.8	0.272	99.5	34.3	2	Docobo & Ling (2009)
		±0.48	±1.06	±0.039	±1.2	±0.014	±2.3	±5.8		
07294−1500	STF 1104 AB	729.	2000.	0.142	157.0	2.543	38.1	236.	5	Mason et al. (2004)
07324−3558	RST 4855	116.7	1991.28	0.832	168.8	0.212	34.6	44.6	3	Mante (2001)
		±5.5	±0.31	±0.018	±9.3	±0.006	±4.2	±9.4		
07411−0124	A 1968	146.2	1995.8	0.611	143.4	0.416	115.6	274.0	4	Scardia (1983)
07430−1704	HU 710	158.7	1952.15	0.622	111.6	0.363	137.7	249.8	3	Heintz (1981)
		±4.8	±0.77	±0.015	±4.2	±0.007	±1.8	±4.0		
08173−0522	A 337	207.	1900.7	0.312	215.1	0.465	129.6	311.7	4	Heintz (1978a)
08213−0136	STF 1216	402.	2322.	0.109	264.1	0.565	31.7	310.8	3	Docobo et al. (1994)
		±15.	±26.	±0.018	±4.8	±0.016	±1.6	±9.5		
08275−5501	FIN 116	125.8	1994.22	0.524	241.0	0.273	121.5	260.2	3	Cvetkovic & Ninkovic (2010)
		±2.4	±0.25	±0.008	±1.3	±0.003	±1.3	±1.8		
09125−4032	B 1115	646.	1998.32	0.776	279.6	1.024	114.2	41.1	5	Seymour et al. (2002)
09243−3926	FIN 348	39.73	1983.43	0.529	61.5	0.126	147.4	300.8	3	Mason et al. (2010)
		±0.75	±0.56	±0.018	±4.2	±0.002	±2.4	±2.9		
09264−4215	B 1122	316.	2206.	0.23	153.	0.23	54.	291.	4	Seymour et al. (2002)
10361−2641	BU 411	158.5	1948.82	0.759	149.5	0.880	127.7	43.2	3	Scardia (2001)
		±2.4	±0.53	±0.010	±1.5	±0.013	±1.7	±1.9		
10370−0850	A 556 AB	285.	2026.	0.144	259.	1.428	48.1	314.	5	Popovic (1978)
10446+0530	A 2771	549.	1993.47	0.834	288.6	1.016	131.4	52.8	5	Heintz (1997)
10468−4925	R 155	149.3	1945.4	0.969	283.0	2.319	66.0	291.7	4	Heintz (1986a)
10592−8133	I 212	246.	2002.0	0.510	191.1	0.599	49.2	118.8	4	Seymour et al. (2002)
11221−2447	I 507 AB	214.0	2023.1	0.400	184.2	1.030	88.1	249.1	4	Tokovinin (1999)
11395−6524	B 1705 AB	96.8	2003.55	0.634	259.8	0.276	60.9	92.4	3	Zirm (2008)
		±2.4	±0.29	±0.015	±1.5	±0.004	±2.0	±1.5		
11495−4604	FIN 366	67.6	1966.3	0.595	155.1	0.237	75.4	71.	3	Cvetkovic (2008)
		±13.3	±2.5	±0.097	±4.8	±0.056	±4.7	±16.		
12018−3439	I 215	327.2	2005.2	0.501	92.7	1.345	106.6	47.5	4	Heintz (1997)
12036−3901	SEE 143	111.0	1913.0	0.579	211.0	0.673	155.3	285.4	3	Söderhjelm (1999)
		±1.4	±1.3	±0.012	±8.5	±0.009	±2.1	±7.1		
12283−6146	RST 4499 BC	28.01	1990.07	0.170	161.5	0.229	154.4	73.3	3	Heintz (1997)
		±0.16	±0.33	±0.009	±8.8	±0.003	±3.0	±6.7		
13149−1122	RST 3829 Aa,Ab	122.7	1985.11	0.449	120.8	0.762	64.2	285.3	4	Heintz (1997)

TABLE 7—*Continued*

WDS	Discoverer Designation	P (yr)	$T_\circ$ (yr)	e	Ω (◦)	a ($''$)	i (◦)	ω (◦)	Gr.	Published Orbit Reference
13520−3137	BU 343	280.	1996.61	0.656	177.5	1.268	130.2	231.9	4	Seymour et al. (2002)
14373−4608	FIN 318 Aa,Ab	141.	1973.0	0.750	189.9	0.216	122.0	272.8	4	Docobo & Andrade (2013)
17157−0949	A 2592 AB	128.0	2016.11	0.395	199.2	0.334	143.4	100.6	3	Heintz (1996)
		±4.9	±0.57	±0.012	±4.3	±0.012	±3.0	±4.1		
21198−2621	BU 271 AB	157.5	1862.9	0.898	217.6	2.46	60.6	232.8	3	Jasinta (1997)
		±7.5	±4.8	±0.062	±12.2	±0.38	±3.2	±14.2		
22288−0001	EBE 1 Aa,Ab	25.70	2003.6	0.590	32.4	0.434	66.2	348.	5	Scardia et al. (2010)
23474−7118	FIN 375 Aa,Ab	82.	2037.	0.515	139.	0.180	60.3	246.9	4	Olevic & Cvetkovic (2004b)